# Safety Data Sheet – Padding Adhesive

Page 1 of 7

### **Section 1 Identification**

Trade Name: Padding Adhesive

Business/Emergency Phone Number: (510) 879-7010

Manufactured for: The General Graphic Company 1535 34<sup>th</sup> Street Oakland, California 94608

### **Section 2 Hazards Identification**

NOT CLASSIFIED. READ ENTIRE SAFETY DATA SHEET.

GHS HAZARD CLASS: None HAZARD CATEGORY: None

**PICTOGRAM**:

None

PRECAUTIONARY STATEMENT: None prescribed

Classification complies with OSHA Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

# **Section 3 Composition / Information of Ingredients**

Component	CAS	Wt. %
None	N/A	N/A

### **Section 4 First-aid Measures**

Contaminated individuals of chemical exposure must be taken for medical attention if any adverse effect occurs. Rescuers should be taken for medical attention, if necessary. Take copy of label and MSDS to health professional with contaminated individual.

**SKIN CONTACT**: Wash affected area immediately soap and water. Remove contaminated clothing and footware. If symptoms develop and persist, get medical attention.

**EYE CONTACT**: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get immediate medical attention.

**INHALATION**: Move to fresh air. If symptoms develop and persist, get medical attention.

Padding Adhesive Page 2 of 7

### **Section 4 First-aid Measures - continued**

INGESTION: Routine use of this product is not expected to cause any situation which could lead to ingestion. If this product is swallowed, CALL PHYSICIAN OR POISON CONTROL CENTER FOR MOST CURRENT INFORMATION. If professional advice is not available, do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or unable to swallow.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: None known.

**RECOMMENDATIONS TO PHYSICIANS**: Treat symptoms and eliminate overexposure.

### **Section 5 Fire-fighting Measures**

FLASHPOINT: Aqueous. Does not flash

**AUTOIGNITION TEMPERATURE**: Not Established

FLAMMABLE LIMITS (in air by volume,%): Lower: NA Upper: NA

FIRE EXTINGUISHING MATERIALS: Use fire extinguishing materials appropriate for surrounding fire including water spray (for cooling), dry extinguishing media, carbon dioxide, foam.

UNUSUAL FIRE AND EXPLOSION HAZARDS: This product has no unusual

fire or explosion hazards.

Explosion Sensitivity to Mechanical Impact: Not Sensitive Explosion Sensitivity to Static Discharge: Not Sensitive

**SPECIAL FIRE-FIGHTING PROCEDURES**: Incipient fire responders should wear eye protection. Structural firefighters must wear Self-Contained Breathing Apparatus and full protective equipment. Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray. If possible, prevent run off water from entering storm drains, bodies of water, or other environmentally sensitive areas.

**NFPA RATING:** FLAMMABILITY - 0, HEALTH - 0, REACTIVITY - 0

Hazard Scale: 0 = Minimal, 1 = Slight, 2 = Moderate, 3 = Serious, 4 = Severe

#### **Section 6 Accidental Release Measures**

**SPILL AND LEAK RESPONSE**: Personnel should be trained for spill response operations. Wear appropriate protective equipment such as rubber gloves, safety glasses, and appropriate body protection. Stop discharge if safe to do so.

**CLEAN-UP METHOD**: Wear suitable protective clothing, gloves and eye/face protection. Avoid skin contact and inhalation of vapors during disposal of spills. Confine in small space area; use absorbent to clean up. **DISPOSAL**: Dispose of in accordance with applicable Federal, State, and local procedures (see Section 13, Disposal Considerations). Dispose of recovered material and report spill per regulatory requirements. It is recommended you contact local authorities to determine if there may be other local reporting requirements.

Padding Adhesive Page 3 of 7

# **Section 7 Handling and Storage**

WORK PRACTICES AND HYGIENE PRACTICES: As with all chemicals, avoid getting this product ON YOU or IN YOU. Wash thoroughly after handling this product. Do not eat, drink, smoke, or apply cosmetics while handling this product. Use in a well-ventilated location. Remove contaminated clothing immediately.

STORAGE AND HANDLING PRACTICES: All employees who handle this material should be trained to handle it safely. Avoid contact with eyes, skin and clothing. Keep the container tightly closed and dry.

EMPTY CONTAINER PRECAUTION: Attention! Follow label warnings even after container is emptied since empty containers may retain product residues. Do not reuse empty container without professional cleaning for food, clothing, or products for humans or animal consumption, or where skin contact can occur.

# **Section 8 Exposure Controls / Personal Protection**

**VENTILATION AND ENGINEERING CONTROLS**: Use with adequate ventilation to ensure exposure levels are maintained below the limits provided below. Use local exhaust ventilation, and process enclosure if necessary, to control airborne dust. Ensure eyewash/safety shower stations are available near areas where this product is used. **EXPOSURELIMITS/GUIDELINES**:

Chemical Name	OSHA PEL	ACGIH TLV
NONE	N/A	N/A

Currently, International exposure limits are established for the components of this product. Please check with competent authority in each country for the most recent limits in place.

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132) or equivalent standard of Canada, or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

RESPIRATORY PROTECTION: If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29CFR1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states. Oxygen levels below 19.5% are considered IDLH by OSHA. In such atmospheres, use of a full-face piece pressure/demand SCBA or a full face piece, supplied air respirator with auxiliary self-contained air supply is required under U.S. Federal OSHA's Respiratory Protection Standard (1910.134-1998) or the regulations of various U.S. States, Canada, EU Member States, or those of Japan. Air-purifying respirators with dust/mist/fume filters are recommended if operations may produce mists or sprays from this product.

**EYE PROTECTION**: Full face protection should be used if the potential for splashing or spraying of products exist. If necessary, refer to U.S. OSHA 29 CFR 1910.133, Canadian Standards, and the European Standard EN166, Australian Standards, or relevant Japanese Standards.

**BODY PROTECTION**: Work clothing sufficient to prevent skin contact. If necessary, refer to appropriate Standards of Canada, or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards.

Padding Adhesive Page 4 of 7

# **Section 9 Physical and Chemical Properties**

APPEARANCE, ODOR and COLOR: White liquid, light sweet odor.

**BOILING POINT/RANGE:** >212°F (>100°C) **pH:**4.0 to 6.0

MELTING POINT/RANGE: 32°F(0°C) (Freezing point) EVAPORATIONRATE(n-BuAc=1):same as water

SPECIFICGRAVITY@20°C: 1.01–1.02 (water=1) SOLUBILITY IN WATER: Dilutable

VAPOR PRESSURE, mm Hg@20°C(68°F): N/A VAPOR DENSITY: N/A

ODOR THRESHOLD: N/A

VOC: <0.009% (Calculated)

# Section 10 Stability and Reactivity

STABILITY: Stable.

**DECOMPOSITION PRODUCTS:** Thermal degradation produces carbon monoxide, carbon dioxide and other low molecular weight hydrocarbons

MATERIALS WITH WHICH SUBSTANCE IS INCOMPATIBLE: The product may react to strong acids, bases and oxidizing agents.

POSSIBILITY OF HAZARDOUS REACTIONS: Will not occur.

CONDITIONS TO AVOID: None known.

# **Section 11 Toxicological Information**

TOXICITY DATA: No LD50 Data Available for this product

**SUSPECTED CANCER AGENT:** The components of this product are not listed by agencies tracking the carcinogenic potential of chemical compounds as follows:

Carcinogenity

NTPRegulated - No IARCRegulated - No OSHARegulated - No

**IRITANCY OF PRODUCT:** Not established.

**SENSITIZATION TO THE PRODUCT:** These products are not known to cause human skin or respiratory sensitization.

**REPRODUCTIVE TOXICITY INFORMATION:** Listed below is information concerning the effects of this product and its components on the human reproductive system.

Mutagenicity: The components of this product are not reported to produce mutagenic effects in humans.

Embryotoxicity: The components of this product are not reported to produce embryotoxic effects in humans.

Teratogenicity: The components of this product are not reported to produce teratogenicity effects inhumans.

Reproductive Toxicity: The components of this product are not reported to produce reproductive effects in humans.

Padding Adhesive Page 5 of 7

### **Section 12 Ecological Information**

ALL WORK PRACTICES MUST BE AIMED AT ELIMINATING ENVIRONMENTAL CONTAMINATION.

**MOBILITY IN SOIL:** This product has not been tested for mobility in soil.

**PERSISTENCE/DEGRADABILITY:** This product have not been tested for persistence or biodegradability. The components may slowly degrade in the environment and form a variety of organic and inorganic materials; however, no specific information is known.

**ENVIRONMENTAL STABILITY:** Controls should be engineered to prevent release to the environment, including procedures to prevent spills, atmospheric release and release to waterways.

**BIOACCUMULATION/ACCUMULATION:** These products have not been tested for bio-accumulation potential.

### **Section 13 Disposal Considerations**

**PREPARING WASTES FOR DISPOSAL:** Waste disposal must be in accordance with appropriate U.S. Federal, State, and local regulations, those of Canada, Australia, EU Member States and Japan.

# **Section 14 Transport Information**

### US DOT, IATA, IMO, ADR:

U.S. DEPARTMENT OF TRANSPORTATION (DOT) SHIPPING REGULATIONS: This product is not classified as dangerous goods, per U.S. DOT regulations, under 49 CFR 172.101. Non-Regulated

TRANSPORT CANADA, TRANSPORTATION OF DANGEROUS GOODS REGULATIONS: These products are not classified as Dangerous Goods, per regulations of Transport Canada.

INTERNATIONAL AIR TRANSPORT ASSOCIATION (IATA): These products are not classified as Dangerous Goods, by rules of IATA.

INTERNATIONAL MARITIME ORGANIZATION (IMO) DESIGNATION: These products are not classified as Dangerous Goods by the International Maritime Organization.

EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD (ADR): These products are not classified by the United Nations Economic Commission for Europe to be dangerous goods.

Padding Adhesive Page 6 of 7

# **Section 15 Regulatory Information**

#### **UNITED STATES REGULATIONS:**

**U.S. SARA REPORTING REQUIREMENTS:** The components of these products are not subject to the reporting requirements of Sections 302, 304, and 313 of Title III of the Superfund Amendments and Reauthorization Act.

**U.S. SARA THRESHOLD PLANNING QUANTITY:** There are no specific Threshold Planning Quantities for any component of these products. The default Federal MSDS submission and inventory requirement filing threshold of 10,000 lb (4,540 kg) therefore applies, per 40 CFR 370.20.

U.S. CERCLA REPORTABLE QUANTITY (RQ): None.

U.S. TSCA INVENTORY STATUS: The components of these products are listed in the TSCA Inventory. CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT (PROPOSITION 65): This product contains a chemical known in the State of California to cause cancer.

#### **CANADIAN REGULATIONS:**

**CANADIAN DSL/NDSL INVENTORY STATUS:** The components of this product are on the DSL Inventory, or are exempted from listing.

CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) PRIORITIES SUBSTANCES LISTS: No component of this product is on the CEPA First Priorities Substance Lists.

**CANADIAN WHMIS CLASSIFICATION and SYMBOLS:** Not Controlled as per the Controlled Product Regulations.

### **EUROPEAN ECONOMIC COMMUNITY INFORMATION: SEE SECTION 2 FOR DETAILS**

#### **AUSTRALIAN INFORMATION FOR PRODUCT:**

AUSTRALIAN INVENTORY OF CHEMICAL SUBSTANCES (AICS) STATUS: The components of this product are listed on the AICS or are exempt.

STANDARD FOR THE UNIFORM SCHEDULING OF DRUGS AND POISONS: Not applicable.

#### JAPANESE INFORMATION FOR PRODUCT:

JAPANESE MINISTER OF INTERNATIONAL TRADE AND INDUSTRY (MITI) STATUS: The components of this product are not listed as Class I Specified Chemical Substances, Class II Specified Chemical Substances, or Designated Chemical Substances by the Japanese MITI.

### **INTERNATIONAL CHEMICAL INVENTORIES:**

Listing of the components on individual country Chemical Inventories is as follows: Asia-Pac: Listed or exempt Australian Inventory of Chemical Substances (AICS): Listed or exempt

Korean Existing Chemicals List (ECL): Listed or exempt

Japanese Existing National Inventory of Chemical Substances (ENCS): Listed or exempt Philippines Inventory if Chemicals and Chemical Substances (PICCS): Listed or exempt Swiss Giftliste List of Toxic Substances: Listed or exempt

U.S. TSCA: Listed or exempt

Padding Adhesive Page 7 of 7

### **Section 16 Other Information**

Created: October 23, 2015 Revised: May 18, 2016

### Disclaimer

The information provided on the Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in text.

End of SDS