SAFETY DATA SHEET	
ARRAY® Antibacterial Foam Handwash	

Version 1.3

SDS Number: 40000000028

Revision Date: 07/21/2020

#### **SECTION 1. IDENTIFICATION**

Product name Product code	ARRAY® Antibacterial Foam Handwash 573101; 579233; 730990
Manufacturer or supplier's de	tails
Company name of supplier	GORDON FOOD SERVICE 333 50th Street Grand Rapids, Michigan 49501
Telephone	1-800-968-6474
Emergency telephone	1-800-968-6474
Recommended use of the che	mical and restrictions on use
Recommended use : Restrictions on use :	Antibacterial Soap This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consumer. While this material is not considered hazardous, this SDS contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information provided on the package or instruction sheet.

# SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Flammable liquids Serious eye damage	: Category 3 : Category 1
GHS label elements Hazard pictograms	
Signal word	: Danger
Hazard statements	: H226 Flammable liquid and vapour. H318 Causes serious eye damage.
Precautionary statements	<ul> <li>Prevention: P210 Keep away from heat/sparks/open flames/hot surfaces No smoking.</li> <li>P233 Keep container tightly closed.</li> <li>P240 Ground/bond container and receiving equipment.</li> <li>P241 Use explosion-proof electrical/ ventilating/ lighting/</li> </ul>

Version 1.3	SDS Number: 40000000028	Revision Date: 07/21/2020
	equipment. P242 Use only non-sparking to P243 Take precautionary meas P280 Wear eye protection/ face <b>Response:</b> P305 + P351 + P338 + P310 IF water for several minutes. Rem and easy to do. Continue rinsin CENTER or doctor/ physician. P370 + P378 In case of fire: Us alcohol-resistant foam to exting <b>Storage:</b> P403 + P235 Store in a well-ve <b>Disposal:</b> P501 Dispose of contents/ cont disposal plant.	sures against static discharge. e protection. F IN EYES: Rinse cautiously with hove contact lenses, if present ng. Immediately call a POISON se dry sand, dry chemical or guish. entilated place. Keep cool.

### Other hazards

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Hazardous components

Chemical name	CAS-No.	Concentration (%)
Ethyl Alcohol	64-17-5	>= 1 - < 5
Ammonium Laureth Sulfate	67762-19-0	>= 1 - < 5
Ammonium Lauryl Sulfate	2235-54-3	>= 1 - < 5
Propylene Glycol	57-55-6	>= 1 - < 5
Chloroxylenol	88-04-0	>= 0.1 - < 1

### **SECTION 4. FIRST AID MEASURES**

General advice	<ul> <li>In the case of accident or if you feel unwell, seek medical advice immediately.</li> <li>When symptoms persist or in all cases of doubt seek medical advice.</li> </ul>
If inhaled	: If inhaled, remove to fresh air. If symptoms persist, call a physician.
In case of skin contact	: Wash with water and soap as a precaution. Get medical attention if irritation develops and persists.
In case of eye contact	<ul> <li>In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.</li> <li>If easy to do, remove contact lens, if worn.</li> <li>Seek medical advice.</li> </ul>
If swallowed	<ul> <li>If swallowed, DO NOT induce vomiting.</li> <li>Rinse mouth with water.</li> <li>Obtain medical attention.</li> </ul>
Most important symptoms and effects, both acute and delayed	: Causes serious eye damage.
Protection of first-aiders	<ul> <li>First Aid responders should pay attention to self-protection and use the recommended protective clothing</li> </ul>

### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or

Version 1.3	SDS Number: 40000000028	Revision Date: 07/21/2020
Unsuitable extinguishing media	carbon dioxide. : High volume water jet	
Specific hazards during firefighting	<ul> <li>Do not use a solid water stream as it may scatter and spread fire.</li> <li>Cool closed containers exposed to fire with water spray.</li> <li>Flash back possible over considerable distance.</li> <li>May form explosive mixtures in air.</li> <li>Exposure to decomposition products may be a hazard to health.</li> <li>Carbon oxides</li> <li>Sulphur oxides</li> <li>Nitrogen oxides (NOx)</li> </ul>	
Hazardous combustion products	: Carbon oxides Sulphur oxides Nitrogen oxides (NOx)	
Specific extinguishing methods	: Use extinguishing measures the circumstances and the surrour Use water spray to cool unoperation of the surrour spray to cool unoperation.	nding environment.
Further information	: Collect contaminated fire extin must not be discharged into dr	nguishing water separately. This rains. ed fire extinguishing water must
Special protective equipment for firefighters	: In the event of fire, wear self-c Use personal protective equip	contained breathing apparatus.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Material can create slippery conditions.	
Environmental precautions	Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so Retain and dispose of contaminated wash water. Local authorities should be advised if significant sp cannot be contained.	
Methods and materials for containment and cleaning up	Non-sparking tools should be used. Soak up with inert absorbent material. Suppress (knock down) gases/vapours/mists with spray jet. Keep in suitable, closed containers for disposal. Clean contaminated floors and objects thoroughly observing environmental regulations.	

# SECTION 7. HANDLING AND STORAGE

Advice on safe handling	: For personal protection see section 8.
	Keep away from heat.
	Use with local exhaust ventilation.
	Avoid contact with eyes.
Conditions for safe storage	: Take measures to prevent the build up of electrostatic charge.

Version 1.3	SDS Number: 40000000028	Revision Date: 07/21/2020
	Keep in properly labelled contain Keep containers tightly closed in ventilated place.	

Store in accordance with the particular national regulations.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethyl Alcohol	64-17-5	TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		STEL	1,000 ppm	ACGIH
Propylene Glycol	57-55-6	TWA	10 mg/m3	US WEEL

### Personal protective equipment

Respiratory protection	<ul> <li>No personal respiratory protective equipment normally required.</li> </ul>
Hand protection	
Remarks	: No special protective equipment required.
Eye protection	<ul> <li>Wear face-shield and protective suit for abnormal processing problems.</li> </ul>
Skin and body protection	<ul> <li>No special measures necessary provided product is used correctly.</li> </ul>
Protective measures	: Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
	Ensure that eye flushing systems and safety showers are located close to the working place.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice. Avoid contact with eyes.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Colour Odour Odour Threshold	<ul> <li>liquid</li> <li>clear, translucent, yellow-orange, amber</li> <li>like fruit</li> <li>No data available</li> </ul>	
рН	: 4.5 - 8.5, (20 °C)	
Melting point/freezing point Initial boiling point and boiling range	: No data available : 83.00 °C	
Flash point	: 59.89 °C	
Evaporation rate	: No data available	
Flammability (solid, gas)	: Not applicable	
Flammability (liquids)	: Does not sustain combustion.	
Upper explosion limit	: No data available	

SAFETY DATA SHEET ARRAY® Antibacterial	Foam Handwash	
Version 1.3	SDS Number: 40000000028	Revision Date: 07/21/2020
Lower explosion limit	: No data available	
Vapour pressure	: No data available	
Relative vapour density	: No data available	
Density	: 0.9962 g/cm3	
Solubility(ies) Water solubility	: soluble	
Partition coefficient: n-	: Not applicable	
octanol/water Auto-ignition temperature	: No data available	
Thermal decomposition	: The substance or mixture is no	t classified self-reactive.
Viscosity Viscosity, kinematic	: 10 - 20 mm2/s (20 °C)	
Explosive properties	: Not explosive	
Oxidizing properties	: The substance or mixture is no	t classified as oxidizing.

# SECTION 10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reactions	<ul> <li>Not classified as a reactivity hazard.</li> <li>Stable under normal conditions.</li> <li>Vapours may form explosive mixture with air.</li> </ul>
Conditions to avoid Incompatible materials Hazardous decomposition products	<ul> <li>Heat, flames and sparks.</li> <li>Oxidizing agents</li> <li>No hazardous decomposition products are known.</li> </ul>

# SECTION 11. TOXICOLOGICAL INFORMATION

<b>Information on likely routes</b> Inhalation Eye contact Skin contact	of	exposure
Acute toxicity		
Not classified based on availab	ble	information.
Product:		
Acute oral toxicity	:	Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
Components:		
Ethyl Alcohol:		
Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 124.7 mg/l

Exposure time: 4 h Test atmosphere: vapourAnimonium Laureth Sulfate: Acute oral toxicity: LD50 (Rat): 4,100 mg/kg Method: OECD Test Guideline 401 Remarks: Based on data from similar materialsAcute dermal toxicity: LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity Remarks: Based on data from similar materialsAmmonium Lauryl Sulfate: Acute oral toxicity: LD50 (Rat): 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity Remarks: Based on data from similar materialsPropylene Glycol: Acute oral toxicity: LD50 (Rat): 2,000 mg/kg Method: EC Directive 92/69/EEC B.1 Acute Toxicity (Oral) Remarks: Based on data from similar materialsAcute oral toxicity: LD50 (Rat): > 5,000 mg/kgAcute inhalation toxicity: LD50 (Rat): > 1,500 mg/kg Assessment: The substance or mixture has no acute assessment: The substance or mixture has no acute dermal toxicityAcute dermal toxicity: LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicityAcute oral toxicity: LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicityAcute oral toxicity: LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicityAcute oral toxicity: LD50 (Rat): > 2,000 mg/kg Method: Expert judgement Remarks: Based on harmonised classification in EU regulati on 1272/2008, Annex V1Acute inhalation toxicity: LC50 (Rat): > 6.29 mg/ Test atmosphere: dust/mistAcute dermal toxicity: LC50 (Rat): > 6.	rsion 1.3	SDS Number: 40000000028	Revision Date: 07/21/2020
Acute oral toxicity: LD50 (Rat): 4,100 mg/kg Method: OECD Test Guideline 401 Remarks: Based on data from similar materialsAcute dermal toxicity: LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity Remarks: Based on data from similar materialsAmmonium Lauryl Sulfate: Acute oral toxicity: LD50 (Rat): 2,000 mg/kg Method: EC Directive 92/69/EEC B.1 Acute Toxicity (Oral) Remarks: Based on data from similar materialsPropylene Glycol: Acute oral toxicity: LD50 (Rat): > 5,000 mg/kg Method: EC Directive 92/69/EEC B.1 Acute Toxicity (Oral) Remarks: Based on data from similar materialsAcute oral toxicity: LD50 (Rat): > 5,000 mg/kgAcute oral toxicity: LD50 (Rabbit): > 159 mg/l, > 51091 ppm Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicityAcute dermal toxicity: LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicityChloroxylenol: Acute oral toxicity: Acute toxicity estimate : 500 mg/kg Method: Expert judgement Remarks: Based on harmonised classification in EU regulati on 1272/2008, Annex VIAcute inhalation toxicity: LC50 (Rat): > 6.29 mg/l Test atmosphere: dust/mist			
Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity Remarks: Based on data from similar materialsAmmonium Lauryl Sulfate: Acute oral toxicityLD50 (Rat): 2,000 mg/kg Method: EC Directive 92/69/EEC B.1 Acute Toxicity (Oral) Remarks: Based on data from similar materialsPropylene Glycol: Acute oral toxicity: LD50 (Rat): > 5,000 mg/kgAcute inhalation toxicity: LC50 (Rabbit): > 159 mg/l, > 51091 ppm Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicityAcute dermal toxicity: LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicityChloroxylenol: Acute oral toxicity: Acute toxicity estimate : 500 mg/kg Method: Expert judgement Remarks: Based on harmonised classification in EU regulati on 1272/2008, Annex VIAcute inhalation toxicity: LC50 (Rat): > 6.29 mg/l Test atmosphere: dust/mist		Method: OECD Test Guidelin	
Acute oral toxicity: LD50 (Rat): 2,000 mg/kg Method: EC Directive 92/69/EEC B.1 Acute Toxicity (Oral) Remarks: Based on data from similar materialsPropylene Glycol: Acute oral toxicity: LD50 (Rat): > 5,000 mg/kgAcute inhalation toxicity: LC50 (Rat): > 159 mg/l, > 51091 ppm Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicityAcute dermal toxicity: LD50 (Rabit): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicityAcute dermal toxicity: LD50 (Rabit): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicityChloroxylenol: Acute oral toxicity: Acute toxicity estimate : 500 mg/kg Method: Expert judgement Remarks: Based on harmonised classification in EU regulati on 1272/2008, Annex VIAcute inhalation toxicity: LC50 (Rat): > 6.29 mg/l Test atmosphere: dust/mist	Acute dermal toxicity	Method: OECD Test Guidelin Assessment: The substance toxicity	or mixture has no acute dermal
Acute oral toxicity: LD50 (Rat): > 5,000 mg/kgAcute inhalation toxicity: LC50 (Rabbit): > 159 mg/l, > 51091 ppm Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicityAcute dermal toxicity: LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicityChloroxylenol: 		Method: EC Directive 92/69/E	
Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicityAcute dermal toxicity: LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicityChloroxylenol: Acute oral toxicity: Acute toxicity estimate : 500 mg/kg Method: Expert judgement Remarks: Based on harmonised classification in EU regulati on 1272/2008, Annex VIAcute inhalation toxicity: LC50 (Rat): > 6.29 mg/l Test atmosphere: dust/mist		: LD50 (Rat): > 5,000 mg/kg	
Assessment: The substance or mixture has no acute dermal toxicity         Chloroxylenol:         Acute oral toxicity         : Acute toxicity estimate : 500 mg/kg         Method: Expert judgement         Remarks: Based on harmonised classification in EU regulati         on 1272/2008, Annex VI         Acute inhalation toxicity         : LC50 (Rat): > 6.29 mg/l         Test atmosphere: dust/mist	Acute inhalation toxicity	Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance of	
Acute oral toxicity       : Acute toxicity estimate : 500 mg/kg Method: Expert judgement Remarks: Based on harmonised classification in EU regulati on 1272/2008, Annex VI         Acute inhalation toxicity       : LC50 (Rat): > 6.29 mg/l Test atmosphere: dust/mist	Acute dermal toxicity	Assessment: The substance	
Test atmosphere: dust/mist		Method: Expert judgement Remarks: Based on harmonis	
Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg	Acute inhalation toxicity		
	Acute dermal toxicity	: LD50 (Rat): > 2,000 mg/kg	

Not classified based on available information.

### **Components:**

**Ethyl Alcohol:** Species: Rabbit Method: OECD Test Guideline 404 Result: No skin irritation

# Ammonium Laureth Sulfate:

Species: Rabbit Method: OECD Test Guideline 404 Result: Skin irritation Remarks: Based on data from similar materials

### Ammonium Lauryl Sulfate:

#### Version 1.3

SDS Number: 40000000028

Revision Date: 07/21/2020

Species: Rabbit Method: OECD Test Guideline 404 Result: Skin irritation

#### Propylene Glycol:

Species: Rabbit Method: OECD Test Guideline 404 Result: No skin irritation

#### Chloroxylenol:

Result: Skin irritation Remarks: Based on harmonised classification in EU regulati on 1272/2008, Annex VI

#### Serious eye damage/eye irritation

Causes serious eye damage.

#### Components:

**Ethyl Alcohol:** Species: Rabbit Result: Irritation to eyes, reversing within 21 days Method: OECD Test Guideline 405

#### Ammonium Laureth Sulfate:

Species: Rabbit Result: Irreversible effects on the eye Remarks: Based on data from similar materials

#### Ammonium Lauryl Sulfate:

Species: Rabbit Result: Irreversible effects on the eye Method: OECD Test Guideline 405

#### **Propylene Glycol:**

Species: Rabbit Result: No eye irritation Method: OECD Test Guideline 405

#### Chloroxylenol:

Result: Irreversible effects on the eye

#### Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

## Product:

Result: Does not cause skin sensitisation.

#### Components:

**Ethyl Alcohol:** Test Type: Local lymph node assay (LLNA) Exposure routes: Skin contact Species: Mouse Result: negative

#### Ammonium Laureth Sulfate:

Test Type: Maximisation Test (GPMT) Exposure routes: Skin contact

#### Version 1.3

SDS Number: 40000000028

Species: Guinea pig Method: OECD Test Guideline 406 Result: negative Remarks: Based on data from similar materials

#### Ammonium Lauryl Sulfate:

Test Type: Maximisation Test (GPMT) Exposure routes: Skin contact Species: Guinea pig Result: negative Remarks: Based on data from similar materials

#### **Propylene Glycol:**

Test Type: Maximisation Test (GPMT) Exposure routes: Skin contact Species: Guinea pig Result: negative

#### Chloroxylenol:

Assessment: Probability or evidence of skin sensitisation in humans Remarks: Based on harmonised classification in EU regulati on 1272/2008, Annex VI

#### Germ cell mutagenicity

Not classified based on available information.

#### Components:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Result: negative
Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo) Test species: Mouse Application Route: Ingestion Result: negative
Ammonium Laureth Sulfate:
Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative
Remarks: Based on data from similar materials
: Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative
Remarks: Based on data from similar materials
Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Test species: Mouse Application Route: Ingestion
Method: OECD Test Guideline 475
Result: negative Remarks: Based on data from similar materials
Ammonium Lauryl Sulfate:
Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test Result: negative Remarks: Based on data from similar materials

sion 1.3	SDS Number: 40000000028 Revision Date: 07/21/202
	666 Number: 4000000020 Revision Date: 07/21/20
Genotoxicity in vivo	<ul> <li>Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)</li> <li>Test species: Mouse</li> <li>Application Route: Ingestion</li> <li>Method: OECD Test Guideline 474</li> <li>Result: negative</li> <li>Remarks: Based on data from similar materials</li> </ul>
Propylene Glycol:	
Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo	: Test Type: In vivo micronucleus test Test species: Mouse Application Route: Intraperitoneal injection
	Result: negative
Chloroxylenol:	
Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Carcinogenicity	
Not classified based on avail	able information.
Components:	
Ammonium Lauryl Sulfate: Species: Rat Application Route: Ingestion Exposure time: 2 Years Result: negative Remarks: Based on data from	
Propylene Glycol: Species: Rat Application Route: Ingestion Exposure time: 2 Years Result: negative	
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinoger by NTP.
Reproductive toxicity	
Not classified based on avail	able information.
Components:	
Ethyl Alcohol:	
Effects on fertility	· Test Type: Two-dependion reproduction toxicity study

Ethyl Alcohol:	
Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Mouse

sion 1.3	SDS Number: 40000000028	Revision Date: 07/21/202
	Application Route: Ingestion Method: OECD Test Guideline Result: negative	9 416
Ammonium Laureth Sulfate Effects on fertility	: Test Type: Two-generation rep Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from	
Effects on foetal development	: Test Type: Two-generation rep Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from	
Ammonium Lauryl Sulfate: Effects on foetal development	: Test Type: Embryo-foetal deve Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from	
Propylene Glycol: Effects on fertility	: Species: Mouse Application Route: Ingestion Result: negative	
Effects on foetal development	: Test Type: Embryo-foetal deve Species: Mouse Application Route: Ingestion Result: negative	elopment

## STOT - single exposure

Not classified based on available information.

## STOT - repeated exposure

Not classified based on available information.

# Repeated dose toxicity

### Components:

Ethyl Alcohol: Species: Rat NOAEL: 2,400 mg/kg Application Route: Ingestion Exposure time: 2 y

### Ammonium Laureth Sulfate:

Species: Rat NOAEL: > 225 mg/kg Application Route: Ingestion Exposure time: 90 d Method: OECD Test Guideline 408 Remarks: Based on data from similar materials

## Propylene Glycol:

Species: Rat

#### Version 1.3

SDS Number: 40000000028

Revision Date: 07/21/2020

NOAEL: 1,700 mg/kg Application Route: Ingestion Exposure time: 2 y

## Chloroxylenol:

Species: Rabbit LOAEL: 180 mg/kg Application Route: Skin contact Exposure time: 90 d

### Aspiration toxicity

Not classified based on available information.

#### **SECTION 12. ECOLOGICAL INFORMATION**

#### Ecotoxicity

Components:

Ethyl Alcohol:		
Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h
Toxicity to algae	:	EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
aquatic invertebrates	:	NOEC (Daphnia magna (Water flea)): 9.6 mg/l Exposure time: 9 d
(Chronic toxicity) Toxicity to bacteria	:	EC50 (Photobacterium phosphoreum): 32.1 mg/l Exposure time: 0.25 h
Ammonium Laureth Sulfate:		
Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): 7.1 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 7.4 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae	:	ErC50 (Desmodesmus subspicatus (green algae)): 27.7 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
		NOEC (Desmodesmus subspicatus (green algae)): 0.95 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Toxicity to fish (Chronic toxicity)	:	NOEC (Oncorhynchus mykiss (rainbow trout)): 0.14 mg/l Exposure time: 28 d

rsion 1.3	SDS Number: 40000000028 Revision Date: 07/21/2020
	Method: OECD Test Guideline 204 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	<ul> <li>NOEC (Daphnia magna (Water flea)): 0.27 mg/l</li> <li>Exposure time: 21 d</li> <li>Remarks: Based on data from similar materials</li> </ul>
Toxicity to bacteria	<ul> <li>EC10 (Pseudomonas putida): &gt; 10 g/l</li> <li>Exposure time: 16 h</li> <li>Method: DIN 38 412 Part 8</li> <li>Remarks: Based on data from similar materials</li> </ul>
Ammonium Lauryl Sulfate: Toxicity to fish	<ul> <li>LC50 (Oncorhynchus mykiss (rainbow trout)): 3.6 mg/l</li> <li>Exposure time: 96 h</li> <li>Method: OECD Test Guideline 203</li> <li>Remarks: Based on data from similar materials</li> </ul>
Toxicity to daphnia and other aquatic invertebrates	<ul> <li>EC50 (Daphnia magna (Water flea)): 4.7 mg/l</li> <li>Exposure time: 48 h</li> <li>Method: Tested according to Directive 92/69/EEC.</li> <li>Remarks: Based on data from similar materials</li> </ul>
Toxicity to algae	<ul> <li>ErC50 (Desmodesmus subspicatus (green algae)): &gt; 20 mg/l Exposure time: 72 h Method: Directive 67/548/EEC, Annex V, C.3. Remarks: Based on data from similar materials</li> </ul>
	EC10 (Desmodesmus subspicatus (green algae)): 5.4 mg/l Exposure time: 72 h Method: Directive 67/548/EEC, Annex V, C.3. Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	<ul> <li>NOEC (Ceriodaphnia Dubia (water flea)): 0.88 mg/l</li> <li>Exposure time: 7 d</li> <li>Remarks: Based on data from similar materials</li> </ul>
Toxicity to bacteria	<ul> <li>EC0 (Pseudomonas putida): 409 mg/l</li> <li>Exposure time: 16 h</li> <li>Method: DIN 38 412 Part 8</li> <li>Remarks: Based on data from similar materials</li> </ul>
<b>Propylene Glycol:</b> Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Ceriodaphnia Dubia (water flea)): 18,340 mg/l Exposure time: 48 h
Toxicity to algae	<ul> <li>EC50 (Skeletonema costatum (marine diatom)): 19,000 mg/l Exposure time: 48 h Method: OECD Test Guideline 201</li> </ul>
Toxicity to fish (Chronic toxicity)	: Chronic Toxicity Value: 2,500 mg/l Exposure time: 30 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Ceriodaphnia Dubia (water flea)): 29,000 mg/l Exposure time: 7 d

sion 1.3	SDS Number: 40000000028 Revision Date: 07	/21/202
Toxicity to bacteria	: NOEC (Pseudomonas putida): > 20,000 mg/l Exposure time: 18 h	
<b>Chloroxylenol:</b> Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 0.76 mg Exposure time: 96 h	j/I
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 7.7 mg/l Exposure time: 48 h	
M-Factor (Acute aquatic toxicity)	: 1	
Persistence and degradabili	,	
Components:		
Ethyl Alcohol: Biodegradability	: Result: Readily biodegradable. Biodegradation: 84 % Exposure time: 20 d	
<b>Ammonium Laureth Sulfate:</b> Biodegradability	<ul> <li>Result: Readily biodegradable.</li> <li>Biodegradation: 100 %</li> <li>Exposure time: 28 d</li> <li>Method: Directive 67/548/EEC Annex V, C.4.C.</li> <li>Remarks: Based on data from similar materials</li> </ul>	
Ammonium Lauryl Sulfate: Biodegradability	<ul> <li>Result: Readily biodegradable.</li> <li>Biodegradation: 75.7 %</li> <li>Exposure time: 28 d</li> <li>Method: OECD Test Guideline 301B</li> <li>Remarks: Based on data from similar materials</li> </ul>	
<b>Propylene Glycol:</b> Biodegradability	<ul> <li>Result: Readily biodegradable.</li> <li>Biodegradation: 98.3 %</li> <li>Exposure time: 28 d</li> <li>Method: OECD Test Guideline 301F</li> </ul>	
Bioaccumulative potential		
Components: Ethyl Alcohol: Partition coefficient: n- octanol/water	: log Pow: -0.35	
Ammonium Laureth Sulfate: Partition coefficient: n- octanol/water	: log Pow: 0.3	
Ammonium Lauryl Sulfate: Partition coefficient: n- octanol/water	: log Pow: 0.8 - 0.91	
Propylene Glycol: Partition coefficient: n- octanol/water	: log Pow: -1.07	
Chloroxylenol: Partition coefficient: n- octanol/water	: log Pow: 3.27	

Version 1.3	SDS Number: 40000000028	Revision Date: 07/21/2020
<b>Mobility in soil</b> No data available		
Other adverse effects No data available		
Product:		
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances	
Remarks	This product neither contains, r Class I or Class II ODS as defir Section 602 (40 CFR 82, Subpt	ned by the U.S. Clean Air Act

## SECTION 13. DISPOSAL CONSIDERATIONS

### **Disposal methods**

Waste from residues	: Dispose of in accordance with local regulations.
Contaminated packaging	: Dispose of as unused product.
	Empty containers should be taken to an approved waste
	handling site for recycling or disposal.

## **SECTION 14. TRANSPORT INFORMATION**

## International Regulation

IATA-DGR UN/ID No. Proper shipping name Class Packing group Packing instruction (cargo aircraft) Packing instruction (passenger aircraft)	:	UN 1170 Ethanol solution 3 III 366 355
IMDG-Code UN number Proper shipping name Class Packing group Labels EmS Code Marine pollutant National Regulations	:	UN 1170 ETHANOL SOLUTION 3 III 3 F-E, S-D no
<b>49 CFR</b> UN/ID/NA number Proper shipping name Class Packing group ERG Code Marine pollutant	:	UN 1170 Ethanol solutions 3 III 127 no

Version 1.3

SDS Number: 40000000028

### **SECTION 15. REGULATORY INFORMATION**

#### EPCRA - Emergency Planning and Community Right-to-Know Act

#### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	:	Fire Hazard Acute Health Hazard
SARA 302	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

Ethyl Alcohol	64-17-5	4.405 %
Propylene Glycol	57-55-6	2 %
product does not contain a	ny VOC exemptions	listed under the U.S. Clean Air Act Section

This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

## Clean Water Act

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

### **US State Regulations**


Massachusetts Right To Know		
Ethyl Alcohol	64-17-5	1 - 5 %
Pennsylvania Right To Know		
Water (Aqua)	7732-18-5	70 - 90 %
Ethyl Alcohol	64-17-5	1 - 5 %
Ammonium Laureth Sulfate	67762-19-0	1 - 5 %
Ammonium Lauryl Sulfate	2235-54-3	1 - 5 %
Propylene Glycol	57-55-6	1 - 5 %
Isopropyl Alcohol	67-63-0	0.1 - 1 %
Ammonium Sulfate	7783-20-2	0.1 - 1 %
New Jersey Right To Know		
Water (Aqua)	7732-18-5	70 - 90 %
Ethyl Alcohol	64-17-5	1 - 5 %
Ammonium Laureth Sulfate	67762-19-0	1 - 5 %
Ammonium Lauryl Sulfate	2235-54-3	1 - 5 %
Propylene Glycol	57-55-6	1 - 5 %

SAFETY DATA SHEET			
ARRAY® Antibacterial Foam Handwash			
Version 1.3	SDS Number: 40000000028	Revision Date: 07/21/2020	
California Prop 65	This product does not contain any of California to cause cancer, birth reproductive harm.		
The components of this product are reported in the following inventories:			
TSCA	: On TSCA Inventory		
AICS	: On the inventory, or in compliance	with the inventory	
DSL	: On the inventory, or in compliance	with the inventory	
ENCS	: On the inventory, or in compliance	with the inventory	
ISHL	: On the inventory, or in compliance	with the inventory	
KECI	: On the inventory, or in compliance	with the inventory	
PICCS	: On the inventory, or in compliance	with the inventory	
IECSC	: On the inventory, or in compliance	with the inventory	
NZIoC	: On the inventory, or in compliance	with the inventory	

## Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

## **SECTION 16. OTHER INFORMATION**



#### Revision Date

: 07/21/2020

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.