

m112

Material Safety Data Sheet

ILD-612

Complies with OSHA's Hazard Communication Standard 29 CFR 1910.1200.



GOODTOOL
Brake Service Tools and Supplies

156 Galewski Drive • P.O. Box 70 • Winona, MN 55987-0070
1-800-880-7121 • Phone 507-454-1454 • Fax 507-454-1471

DATE OF PREPARATION: January 1, 2000

1. NAME AND PRODUCT

Part No.: ILD-612

Description: Internal Leak Detection Fluid

or → Block tester, Internal Leak Detection Fluid.

2. HAZARDOUS INGREDIENTS

Ingredients

OSHA PEL

ACGIH TLV

Sodium Carbonate-Soda Ash
(Present in trace amount only)

--

--

3. PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: 212°F

Specific Gravity: 1.0

Vapor Pressure (mm Hg): n/a

Vapor Density: n/a

Melting Point: n/a

Appearance and Color: Blue, clear liquid

4. FIRE AND EXPLOSION HAZARD DATA

Flash Point: None

Extinguishing Media: n/a

Flammable Limits: n/a

Special Fire Fighting Procedures: None Required

Unusual Fire & Explosion Hazards: None

5. STABILITY

Stability: Stable

Polymerization: Will not occur

Incompatibility: None

Hazardous Decomposition or Byproducts: None

Conditions to Avoid: None

6. HEALTH HAZARD DATA-FIRST AID

Eyes: Wash with water

Skin: Wash with water

INHALATION: n/a

CARCINOGENICITY: None

Signs & Systems of Exposure: None

Medical Conditions Aggravated by Exposure: None

7. SPECIAL PROTECTION

Waste Disposal Method: n/a

Precautions to be taken in Handling By Exposure: Avoid Freezing Temperatures

Other Precautions: None

8. CONTROL MEASURES

NON-APPLICABLE

DOT Hazardous Materials Shipping No.: n/a