

## 1. IDENTIFICATION

**Product identifier**

**Product Name** HYDRION BUFFER pH-11.00

**Other means of identification**

**SDS #** MEL-030

**Recommended use of the chemical and restrictions on use**

**Recommended Use** For preparation of buffer standards in distilled water.

**Details of the supplier of the safety data sheet****Supplier Address**

MICRO ESSENTIAL LABORATORY, INC  
PO BOX 100824, 4224 AVENUE H  
BROOKLYN, NY 11210

**Emergency telephone number**

**Company Phone Number** PHONE: 718-338-3618 FAX: 718-692-4491 (8:00AM TO 4:00PM EASTERN STANDARD TIME)

**Emergency Telephone** INFOTRAC 1-352-323-3500 (International)  
1-800-535-5053 (North America)

## 2. HAZARDS IDENTIFICATION

**Appearance** White to off white Granules, crystals or powder

**Physical state** Solid

**Odor** Odorless

**Classification**

This chemical does not meet the hazardous criteria set forth by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). However, this Safety Data Sheet (SDS) contains valuable information critical to the safe handling and proper use of this product. This SDS should be retained and available for employees and other users of this product.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%
Sodium Phosphate Tribasic	7601-54-9	60-80
Sodium phosphate dibasic	7558-79-4	20-40

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

## 4. FIRST AID MEASURES

**Description of first aid measures**

**General Advice** Provide this SDS to medical personnel for treatment.

**Eye Contact** Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.

**Skin Contact** Wash affected areas thoroughly with soap and water for at least 15 minutes. Get medical attention if necessary.

<b>Inhalation</b>	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If breathing is difficult, give oxygen. Get medical attention if necessary.
<b>Ingestion</b>	Drink plenty of water. Do not induce vomiting without medical advice. Get medical attention if necessary.

**Most important symptoms and effects, both acute and delayed**

<b>Symptoms</b>	Dust may be irritating to eyes. Prolonged skin contact may cause skin irritation or allergic reaction. The eye irritation may be severe. Ingestion can irritate stomach and cause mouth burns. Prolonged exposure by inhalation may cause irritation of the nose, throat and respiratory tract. Prolonged exposure to BULK POWDER may cause irritation to the eyes, skin and respiratory system.
-----------------	--

**Indication of any immediate medical attention and special treatment needed**

<b>Notes to Physician</b>	Treat symptomatically.
---------------------------	------------------------

**5. FIRE-FIGHTING MEASURES****Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable Extinguishing Media** Not determined.

**Specific Hazards Arising from the Chemical**

Non-flammable.

**Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Do not release runoff from fire control methods to sewers or waterways.

**6. ACCIDENTAL RELEASE MEASURES****Personal precautions, protective equipment and emergency procedures**

<b>Personal Precautions</b>	Use personal protective equipment as required. Keep unnecessary people away, isolate hazard area and deny entry. Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only.
-----------------------------	--

**Environmental precautions**

<b>Environmental precautions</b>	Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.
----------------------------------	--

**Methods and material for containment and cleaning up**

<b>Methods for Containment</b>	Prevent further leakage or spillage if safe to do so.
<b>Methods for Clean-Up</b>	Cover spilled material with a dry acid, such as Citric or Boric. Scoop up into a large beaker. Adjust pH between 6 and 9 with a diluted acid, such as Sulfuric or Citric. Flush reacted material to the drain with a large excess of water but ONLY if permitted by local authorities and regulations. If not permitted, must be disposed of as a RCRA waste.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

#### **Advice on Safe Handling**

Handle in accordance with good industrial hygiene and safety practice. Use personal protection recommended in Section 8. Do NOT take internally. Wash face, hands and any exposed skin thoroughly after handling. Use only with adequate ventilation. Avoid breathing dusts. Avoid contact with skin, eyes or clothing. The following precautions pertain only to BULK POWDER handling:

Ventilation: Use adequate general or local ventilation to keep fume and dust levels as low as possible

Respiratory Protection: Use NIOSH approved dust respirator when handling bulk powder

Eye Protection: Chemical splash goggles with side shields when handling bulk powder

Gloves: Natural rubber, butyl neoprene or equivalent. Wear full cover clothing when handling bulk powder.

### Conditions for safe storage, including any incompatibilities

#### **Storage Conditions**

Keep container tightly closed and store in a cool, dry and well-ventilated place. Avoid excessive temperatures & high humidity.

#### **Incompatible Materials**

Strong acids.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Exposure Guidelines

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

### Appropriate engineering controls

#### **Engineering Controls**

Ensure adequate ventilation, especially in confined areas. Eyewash stations. Showers. Local exhaust ventilation recommended.

### Individual protection measures, such as personal protective equipment

#### **Eye/Face Protection**

Refer to 29 CFR 1910.133 for eye and face protection regulations. Contact lenses are not eye protective devices. Appropriate eye protection must be worn instead of, or in conjunction with, contact lenses.

#### **Skin and Body Protection**

Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact.

#### **Respiratory Protection**

Seek professional advice prior to respirator selection and use. Select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. **WARNING!** Air-purifying respirators do not protect workers in oxygen-deficient atmospheres. If respirators are used, OSHA requires a written respiratory program that includes at least: medical certification, training, fit-testing, periodic environmental monitoring, maintenance, inspection, cleaning, and convenient, sanitary storage areas.

#### **General Hygiene Considerations**

Handle in accordance with good industrial hygiene and safety practice. Contaminated Equipment: Separate contaminated work clothes from street clothes. Launder before reuse. Remove this material from your shoes and clean personal protective equipment. Never eat, drink, or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

<b>Physical state</b>	Solid		
<b>Appearance</b>	White to off white Granules, crystals or powder	<b>Odor</b>	Odorless
<b>Color</b>	White to off white	<b>Odor Threshold</b>	Not determined

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	11.00	
Melting point / freezing point	Not determined	
Boiling point / boiling range	100 °C / 212 °F	
Flash point	Non-flammable	
Evaporation Rate	Not determined	
Flammability (Solid, Gas)	Not determined	
Flammability Limit in Air		
Upper flammability or explosive limits	Not determined	
Lower flammability or explosive limits	Not determined	
Vapor Pressure	Not determined	
Vapor Density	Not determined	
Relative Density	~1	@ 60°F (ASTM D 1298)
Water Solubility	Miscible in water	
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Autoignition temperature	Not determined	
Decomposition temperature	Not determined	
Kinematic viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive Properties	Not determined	
Oxidizing Properties	Not determined	

### Other information

<b>Molecular weight</b>	Sodium Phosphate Tribasic 380.12 Grams Sodium Bicarbonate 84.01 grams
-------------------------	--

## 10. STABILITY AND REACTIVITY

### Reactivity

Not reactive under normal conditions.

### Chemical stability

Stable under recommended storage conditions.

### Possibility of hazardous reactions

See below - Incompatible Materials.

<b>Hazardous Polymerization</b>	Hazardous polymerization does not occur.
---------------------------------	--

### Conditions to Avoid

Keep out of reach of children.

### Incompatible materials

Strong acids.

### Hazardous decomposition products

Phosphorous oxides.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### Product Information

<b>Eye Contact</b>	Avoid contact with eyes.
<b>Skin Contact</b>	Avoid contact with skin.
<b>Inhalation</b>	Do not inhale.
<b>Ingestion</b>	May be harmful if swallowed.

### Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium Phosphate Tribasic 7601-54-9	4150 mg/kg ( Rat )	> 300 mg/kg ( Rabbit )	> 2.16 mg/L ( Rat ) 1 h
Sodium phosphate dibasic 7558-79-4	= 17 g/kg ( Rat )	-	-

### Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** Please see section 4 of this SDS for symptoms.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Carcinogenicity** Based on the information provided, this product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

### Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

<b>Oral LD50</b>	5001 mg/kg
<b>Dermal LD50</b>	5001 mg/kg
<b>ATEmix (inhalation-dust/mist)</b>	5.1 mg/L

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

### Persistence/Degradability

Not determined.

### Bioaccumulation

There is no data for this product.

### Mobility

Not determined

### Other Adverse Effects

Not determined

### 13. DISPOSAL CONSIDERATIONS

#### Waste Treatment Methods

<b>Disposal of Wastes</b>	Disposal should be in accordance with applicable regional, national and local laws and regulations.
<b>Contaminated Packaging</b>	Disposal should be in accordance with applicable regional, national and local laws and regulations.

### 14. TRANSPORT INFORMATION

<b>Note</b>	Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.
<b>DOT</b>	Not regulated
<b>IATA</b>	Not regulated
<b>IMDG</b>	Not regulated

### 15. REGULATORY INFORMATION

#### International Inventories

Chemical name	TSCA	TSCA Inventory Status	DSL/NDSL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	AICS
Sodium Phosphate Tribasic	X	ACTIVE	X	X	X	X	X	X	X
Sodium phosphate dibasic	X	ACTIVE	X	X	X	X	X	X	X

#### **Legend:**

- TSCA* - United States Toxic Substances Control Act Section 8(b) Inventory  
*DSL/NDSL* - Canadian Domestic Substances List/Non-Domestic Substances List  
*EINECS/ELINCS* - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
*ENCS* - Japan Existing and New Chemical Substances  
*IECSC* - China Inventory of Existing Chemical Substances  
*KECL* - Korean Existing and Evaluated Chemical Substances  
*PICCS* - Philippines Inventory of Chemicals and Chemical Substances  
*AICS* - Australian Inventory of Chemical Substances

#### US Federal Regulations

##### CERCLA

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sodium Phosphate Tribasic 7601-54-9	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ
Sodium phosphate dibasic 7558-79-4	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ

##### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

##### CWA (Clean Water Act)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium Phosphate Tribasic	5000 lb			X
Sodium phosphate dibasic	5000 lb			X

**US State Regulations****California Proposition 65**

This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania
Sodium Phosphate Tribasic 7601-54-9	X	X	X
Sodium phosphate dibasic 7558-79-4	X	X	X

**16. OTHER INFORMATION**

<b><u>NFPA</u></b>	<b>Health Hazards</b>	<b>Flammability</b>	<b>Instability</b>	<b>Special Hazards</b>
	0	0	0	Not determined
<b><u>HMIS</u></b>	<b>Health Hazards</b>	<b>Flammability</b>	<b>Physical hazards</b>	<b>Personal Protection</b>
	0	0	0	Not determined

Issue Date: 15-Feb-2012  
Revision Date: 13-Aug-2019  
Revision Note: Regulatory review

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**