

#### **Product Safety Data Sheet**

#### **Section 1: Identification**

Product Name: CS-325

Function: Closed loop heating/cooling system corrosion inhibitor

Manufacturer: Chemco Products, Inc., 1349 Grand Oaks Drive, Howell, MI 48843

**Phone Number:** 517-546-7800

Transport Emergency Phone Number: Chemtrec, 800-424-9300

SDS Issue Date: August 15, 2014

**Revision Number:** 

#### Section 2: Hazard Identification

**Hazard Classifications: Irritant** 

Signal Word: WARNING!

• CAUSES EYE IRRITATION

**Precautionary Statements:** 

- Contains sodium molybdate. Use protective eyewear when handling.
- May be toxic if ingested in large quantities. In case of ingestion, induce vomiting and seek immediate medical attention.

Non-Classified Hazards: None

#### Section 3: Hazardous Ingredients

Ingredient Name	CAS Number	net % by weight
Sodium molybdate	10102-40-6	10.0

#### **Section 4: First Aid Procedures**

- Skin Contact: Prolonged contact with skin may produce irritation. Remove contaminated clothing and flush contact area with water for 15 minutes. Seek medical attention if irritation persists.
- Eye Contact: Contact with eyes may cause irritation. Immediately flush eyes with water or ophthalmic rinse solution; continue flushing with water for 15 minutes to remove any residual material. Seek medical attention if irritation persists.
- Inhalation: Inhalation of product mists may cause respiratory irritation. Move victim to fresh air. If breathing is difficult, provide oxygen. If irritation persists, seek medical attention.
- Ingestion: Product may exhibit toxic effects if ingested in large quantities. If victim is conscious, induce vomiting.
   Get immediate medical attention.

#### **Section 5: Fire-Fighting Measures**

- Special Hazards: Thermal decomposition may produce hazardous CO, SO<sub>x</sub>, and NO<sub>x</sub> fumes. Wear selfcontained breathing apparatus.
- Extinguishing Media: For small fires, use A-B-C fire extinguisher. Large fires may be extinguished with any
  media suitable for the surrounding fire.

#### Section 6: Accidental Release Measures

- First Responders should wear all recommended personal protective equipment outlined in Section 8. For large spill cleanup, personnel should wear a chemical-resistant splash suit or coveralls.
- > Prevent spills from contaminating natural waterways or municipal sewer systems. Use chemical-resistant spill control socks/booms to minimize spread of spill.
- Reclaim as much spilled material as possible and return to original container. Use absorbent material to remove remaining liquid residue and place into sealable container for proper disposal.

#### Section 7: Storage and Handling

- Store at room temperature. Keep container closed when not in use.
- Use containment devices to prevent uncontrolled spills.
- Do not eat, drink, or smoke while handling product; wash thoroughly with soap after handling.

#### **Section 8: Personal Protection and Exposure Controls**

#### **Protective Equipment Requirements:**

- 1. Safety glasses
- 2. Chemical-resistant gloves

#### Airborne Exposure Limits

Hazardous Ingredient Exposure Limit

Sodium molybdate 5 mg/m³ TWA

#### Section 9: Physical and Chemical Properties (n.a. = not available)

Appearance: Clear colorless liquid

Odor: Mild, characteristic

■ pH, neat: 10.5

Specific Gravity: 1.12

Water solubility: Complete

Freezing/Boiling points, degrees F: < 32 / > 212

Viscosity: < 100 cps</li>

Flash point, degrees F: non-flammable

Upper/Lower explosive limits: non-flammable

Auto-ignition temperature: non-flammable

Decomposition temperature: n.a.

Vapor pressure/density: n.a.

Evaporation rate: n.a.

Octanol/Water partition coefficient: n.a.

#### Section 10: Stability and Reactivity

Chemical Stability: This product is stable under normal storage and use conditions. Keep container closed and prevent exposure to temperature extremes.

Reactivity: This product will react with strong acid materials to form hazardous nitrogen oxide gases. Contact with amine compounds may produce carcinogenic nitrosamines.

#### **Section 11: Toxicological Information**

Likely route(s) of exposure: eye/skin contact (irritation)

\*Toxicity values are estimated using aggregate ingredient toxicities.

 $\triangleright$  Acute oral toxicity: LD<sub>50</sub>, rat = > 5,000 mg/kg

➤ Acute dermal toxicity: LD<sub>50</sub>, rabbit = > 5,000 mg/kg

Carcinogenicity/Teratogenicity: No ingredients listed by IARC, NTP, or OSHA.

#### **Section 12: Ecological Information**

#### a. Aquatic Toxicity

Freshwater fish, 96 hr LC<sub>50</sub>, = > 100 mg/l (estimated)

Daphnia magna, 48 hr EC<sub>50</sub>, = not available

Product is expected to be toxic to aquatic organisms. Prevent spills from entering natural waterways and sewer systems.

#### b. Biodegradability

No specific biodegradability data have been determined for this product.

#### c. Environmental Fate

No data regarding environmental fate are available.

#### Section 13: Disposal Considerations

Personnel responding to spills of this product should wear splash shield, safety glasses, chemical-resistant coveralls, gloves, and boots.

Product should be used up, if possible, or stored in sealed plastic containers for proper disposal at a licensed waste facility.

Empty containers should be triple-rinsed with water prior to recycling or disposal.

#### **Section 14: Transport Information**

#### FOR TRANSPORT EMERGENCIES, CONTACT CHEMTREC, 1-800-424-9300

Proper shipping description: Compound, Boiler Preserving

DOT Hazard Class(es): Not regulated

CERCLA Reportable Spill Quantity (RQ) = No RQ

#### Section 15: Regulatory Information

Regulation	<u>Applicable</u>	Notes	
OSHA Hazardous Material	Yes	Irritant	
CERCLA Reportable Spill Quantity (RQ)	No		
EPCRA Section 302 Extremely Hazardous Substance	No		
EPCRA Section 311 Hazardous Material	Yes	Acute hazard	
EPCRA Section 312 Hazardous Chemical Inventory	Yes	TPQ = 10,000 lbs.	
EPCRA Section 313 Toxic Chemical	No		

### Section 16: Additional Information

		0 = minimai
HMIS Hazard Rating		1 = slight
Health	1	2 = moderate
Flammability	0	3 = serious
Reactivity	0	4 = severe
Personal Protection	В	Code B = safety glasses and chemical-resistant gloves