

Material Safety Data Sheet
acc. to ISO/DIS 11014

Printing date 08/24/2010

Reviewed on 08/23/2010

1 Identification of substance:· **Product details:**· **Trade name:** **Flexitime Light/ Medium Flow (base + cat)**· **Application of the substance / the preparation** Dental impression material· **Manufacturer/Supplier:**Heraeus Kulzer GmbH
Grüner Weg 11, D-63450 Hanau


Tel.: 0800 4372522

· **Information department:**USA:
Cheryl Zimmerman
Tel. +1 (574) 2996662 / Fax: +1 (574) 2996614
e-mail: cheryl.zimmerman@heraeus.com· **Emergency information:**

Call "Poisoning Emergency Center Berlin": +49 30 30686 790 (24 hours, support in english and german language)

2 Hazards identification· **Hazard description:** not applicable· **Information pertaining to particular dangers for man and environment**

The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· **Classification system**· **NFPA ratings for USA (scale 0-4)**Health = 0
Fire = 0
Reactivity = 0· **HMIS-Ratings (Scale 0-4)**Health = *0
Fire = 0
Reactivity = 0**3 Composition/Data on components:**· **Chemical characterization**· **Description:**

2-component material comprising base paste and matching catalyst paste for addition curing

· **Dangerous components:**

27306-78-1	modified heptamethyltrisiloxane with polyalkylene oxide Xn, Xi, N; R 20-36-48/20-51/53	< 2.5%
------------	---	--------

4 First aid measures· **General information** No special measures required.· **After skin contact** Generally the product does not irritate the skin.· **After eye contact** Rinse opened eye for several minutes under running water.· **After swallowing**

Rinse out mouth and then drink plenty of water.

Seek immediate medical advice.

USA

(Contd. on page 2)

Material Safety Data Sheet
acc. to ISO/DIS 11014

Printing date 08/24/2010

Reviewed on 08/23/2010

Trade name: Flexitime Light/ Medium Flow (base + cat)

(Contd. of page 1)

5 Fire fighting measures

- **Suitable extinguishing agents**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Protective equipment:** No special measures required.
- **Additional information** -

6 Accidental release measures

- **Person-related safety precautions:** Not required.
- **Measures for environmental protection:** No special measures required.
- **Measures for cleaning/collecting:**
Absorb with liquid binding material (diatomite, universal binders, for small amounts tissues).
- **Additional information:**
See Section 13 for disposal information.
See Section 8 for information on personal protection equipment.
-

7 Handling and storage

- **Handling**
 - **Information for safe handling:**
Please observe the additional instructions in the product's instructions for use.
 - **Information about protection against explosions and fires:** No special measures required.
- **Storage**
 - **Requirements to be met by storerooms and receptacles:** No special requirements.
 - **Information about storage in one common storage facility:** Not required.
 - **Further information about storage conditions:** None.

8 Exposure controls and personal protection

- **Components with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
 - **Additional information:** The lists that were valid during the creation were used as basis.
- **Personal protective equipment**
 - **General protective and hygienic measures**
The usual precautionary measures for handling chemicals should be followed.
 - **Breathing equipment:** Not required.
 - **Protection of hands:** Not required.
 - **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
 - **For the permanent contact in work areas without heightened risk of injury (e.g. Laboratory) gloves made of the following material are suitable:**
PVC or PE gloves
 - **Eye protection:** Not absolutely necessary.
 - **Body protection:** Light weight protective clothing

USA

(Contd. on page 3)

Material Safety Data Sheet
acc. to ISO/DIS 11014

Printing date 08/24/2010

Reviewed on 08/23/2010

Trade name: Flexitime Light/ Medium Flow (base + cat)

(Contd. of page 2)

9 Physical and chemical properties:

· General Information

- | | |
|-----------------|---------------------------|
| · Form: | Pasty |
| · Color: | Light grey
Light green |
| · Odor: | Odorless |

· Change in condition

- **Melting point/Melting range:** undetermined
- **Boiling point/Boiling range:** undetermined

· **Flash point:** Not applicable

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Density at 20°C (68°F):** 1.2 -1.4 g/cm³

· Solubility in / Miscibility with

- **Water:** Not miscible or difficult to mix

10 Stability and reactivity

- **Dangerous reactions** No dangerous reactions known
- **Dangerous products of decomposition:** none
- **Additional information:** -

11 Toxicological information

· Acute toxicity:

· Primary irritant effect:

- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.

· **Sensitization:** No sensitizing effects known.

· Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

12 Ecological information:

· Ecotoxicological effects:

· **Aquatic toxicity:** undetermined

· **General notes:** Avoid transfer into the environment.

13 Disposal considerations

· Product:

· Recommendation

Small quantities can be polymerized with the matching system component(s) and the cured solid material can be disposed of with the regular garbage. Larger quantities must be disposed of following the regulations of the local authorities.

(Contd. on page 4)

USA

Material Safety Data Sheet acc. to ISO/DIS 11014

Printing date 08/24/2010

Reviewed on 08/23/2010

Trade name: Flexitime Light/ Medium Flow (base + cat)

(Contd. of page 3)

- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- **DOT regulations:**
- **Hazard class:** -
- **Land transport ADR/RID (cross-border)**
- **ADR/RID class:** -
- **Maritime transport IMDG:**
- **IMDG Class:** -
- **Marine pollutant:** No
- **Air transport ICAO-TI and IATA-DGR:**
- **ICAO/IATA Class:** -

- **Transport/Additional information:** -

15 Regulations

- **SARA Section 355 (extremely hazardous substances)**

None of the ingredients is listed.

- **SARA Section 313 (specific toxic chemical listings)**

None of the ingredients is listed.

- **TSCA (Toxic Substances Control Act)** None of the ingredients is listed.

- **Prop 65 - Chemicals known to cause cancer**

None of the ingredients is listed.

- **Carcinogen categories**

- **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

- **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients is listed.

- **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

- **Markings according to EU guidelines:**

The product is not subject to identification regulations under EU Directives and the Ordinance on Hazardous Materials (GefStoffV).

The product is not subject to classification according to the calculation methods of the "General Classification Guideline for Preparations of the EU" as issued in the latest valid version.

USA

(Contd. on page 5)

Material Safety Data Sheet
acc. to ISO/DIS 11014

Printing date 08/24/2010

Reviewed on 08/23/2010

Trade name: Flexitime Light/ Medium Flow (base + cat)

(Contd. of page 4)

16 Other information:

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant R-phrases

20 Harmful by inhalation.

36 Irritating to eyes.

48/20 Harmful: danger of serious damage to health by prolonged exposure through inhalation.

51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

· Department issuing MSDS: Safety department**· Contact:**

Dr. Thiele Tel.: (+49) 6181 35-3012

email: ruediger.thiele@heraeus.com

· * Data compared to the previous version altered.

USA