



ENFORCER Products  
 A Division of Acuity Specialty Products  
 Group, Inc.  
 P.O. Box 1060  
 Cartersville, GA 30120  
 1-888-805-HELP  
 www.zepcommercial.com

# Material Safety Data Sheet and Safe Handling and Disposal Information

**Section 1. Chemical Product and Company Identification**

**Product name** Foaming Glass Cleaner  
**Product Code** ZUFGC24  
**Date of issue** 10/19/07 **Supersedes**

**Emergency Telephone Numbers** **For a Medical Emergency:**  
 INFOTRAC  
 (877) 541-2016 (Toll Free - Calls Recorded)

**For a Transportation Emergency:**  
 CHEMTREC  
 (800) 424-9300 (Toll Free - Calls Recorded)

**Printing Date:**

**Prepared by** Compliance Services Group  
 Acuity Specialty Products Group  
 1420 Seaboard Industrial Blvd.  
 Atlanta, GA 30318

**Section 2. Composition, Information on Ingredients**

Name of Hazardous Ingredients	CAS #	% by Weight	Exposure Limits
ETHANOL; ethyl alcohol; grain alcohol	64-17-5	1 - 5	<b>ACGIH TLV / OSHA PEL (United States).</b> TWA: 1000 ppm 8 hour(s).
ISOPROPYL ALCOHOL; ipa; dimethylcarbinol; 2-propanol	67-63-0	1 - 5	<b>ACGIH TLV (United States).</b> TWA: 200 ppm 8 hour(s). <b>OSHA PEL (United States).</b> TWA: 400 ppm 8 hour(s). <b>ACGIH/OSHA (United States).</b> STEL: 400 ppm 15 minute(s).
ETHYLENE GLYCOL MONOBUTYL ETHER; 2-butoxyethanol; butyl cellosolve	111-76-2	1 - 5	<b>ACGIH TLV (United States).</b> TWA: 20 ppm 8 hour(s). <b>OSHA PEL (United States). Skin</b> TWA: 50 ppm 8 hour(s).
HYDROCARBON PROPELLANT; blend of propane & isobutane	75-28-5; 74-98-6	5 - 10	<b>ACGIH TLV / OSHA PEL (United States). Notes: Propane</b> TWA: 1000 ppm 8 hour(s).

**Section 3. Hazards Identification**

**Acute Effects** **Routes of Entry** Dermal contact. Eye contact. Inhalation.  
**Skin** Direct contact may cause irritation and redness. May be harmful if absorbed through skin. Skin inflammation is characterized by itching, scaling, or reddening.  
**Eyes** Causes eye irritation. Inflammation of the eye is characterized by redness, watering, and itching.  
**Inhalation** Over-exposure by inhalation may cause respiratory irritation. Can cause central nervous system depression.  
**Ingestion** Unlikely in this form.

HMIS	
<b>Health</b>	<b>1</b>
<b>Fire Hazard</b>	<b>1</b>
<b>Reactivity</b>	<b>0</b>
<b>Personal Protection</b>	<b>B</b>

**Carcinogenic Effects** Ingredients: Not listed as carcinogen by OSHA, NTP or IARC.

**Chronic Effects** Overexposure of this product by inhalation or absorption can produce central nervous system depression resulting in headache, nausea and/or dizziness. Repeated or prolonged exposure to the substance can produce damage to blood, kidneys, liver, upper respiratory tract, central nervous system (CNS).

**See Toxicological Information (section 11)**

**Section 4. First Aid Measures**

<b>Eye Contact</b>	Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Check for and remove any contact lenses. Get medical attention immediately.
<b>Skin Contact</b>	In case of contact, immediately flush skin with plenty of water. Get medical attention if irritation develops.
<b>Inhalation</b>	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. If irritation persists, get medical attention.
<b>Ingestion</b>	Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If affected person is conscious, give plenty of water to drink. Get medical attention immediately.

**Section 5. Fire Fighting Measures**

<b>Flash Point</b>	Not determined.	<b>Flammable Limits</b>	Not applicable.
<b>Flammability</b>	Non-flammable. (CSMA)		
<b>Fire Hazard</b>	CONTENTS UNDER PRESSURE. Container explosion may occur under fire conditions or when heated.		



<b>Fire-Fighting Procedures</b>	Use an extinguishing agent suitable for surrounding fires. Cool containing vessels with water jet in order to prevent pressure build-up, autoignition or explosion.
---------------------------------	---

**Section 6. Accidental Release Measures**

<b>Spill Clean up</b>	Large spills are unlikely due to packaging.
-----------------------	---

**Section 7. Handling and Storage**

<b>Handling</b>	Avoid contact with eyes, skin and clothing. Do not ingest. Avoid breathing vapors or spray mists. Use only with adequate ventilation. Wash thoroughly after handling.
<b>Storage</b>	CONTENTS UNDER PRESSURE. Do not puncture or incinerate container. Store and use away from heat, sparks, open flame, or any other ignition source. Keep container in a cool, well-ventilated area. Store between 40°F - 120°F (4.4°C - 49°C). Keep out of the reach of children.

**Section 8. Exposure Controls, Personal Protection****Personal Protection****Protective Clothing (Pictograms)**

<b>Eyes</b>	Safety glasses.
<b>Body</b>	Protective gloves should be worn under conditions of prolonged use.
<b>Respiratory</b>	A respirator is not needed under normal and intended conditions of product use.

**Section 9. Physical and Chemical Properties**

<b>Physical State</b>	Liquid. (Aerosol.)	<b>Color</b>	Cloudy, Colorless.
<b>pH</b>	10.0 - 11.0	<b>Odor</b>	Pleasant.
<b>Boiling Point</b>	Not determined.	<b>Vapor Pressure</b>	Not determined.
<b>Specific Gravity</b>	0.9871 (Water = 1)	<b>Vapor Density</b>	Not determined.
<b>Solubility</b>	Soluble	<b>Evaporation Rate</b>	1 compared to Water
		<b>VOC (Consumer)</b>	117 (g/l). 0.98 lbs/gal 11.8%

**Section 10. Stability and Reactivity**

<b>Stability and Reactivity</b>	The product is stable.
<b>Incompatibility</b>	None identified.
<b>Hazardous Polymerization</b>	Will not occur.
<b>Hazardous Decomposition Products</b>	Carbon oxides (CO, CO2) and organic chemicals.

**Section 11. Toxicological Information**

<b>Toxicity to Animals</b>	<b>Isopropyl Alcohol:</b>
	ORAL (LD50): Acute: 4700 mg/kg [Rat].
	DERMAL (LD50): Acute: 13000 mg/kg [Rabbit].
	VAPOR (LC50): Acute: 22500 ppm 8 hour(s) [Rat (Male)]. 19000 ppm 8 hour(s) [Rat (Female)].
	<b>Ethylene Glycol Monobutyl Ether:</b>
	ORAL (LD50): Acute: 1746 mg/kg [Rat].
	DERMAL (LD50): Acute: 680 mg/kg [Rabbit].
	VAPOR (LC50): Acute: 450 ppm 4 hour(s) [Rat (Female)].
	<b>Ethanol:</b>
	ORAL (LD50): Acute: 7060 mg/kg [Rat].

**Section 12. Ecological Information****Ecotoxicity** Not available.**Biodegradable/OECD** Not available.**Section 13. Disposal Considerations****Waste Information** Waste must be disposed of in accordance with federal, state and local environmental control regulations.**Waste Stream** Non-regulated waste**Consult your local or regional authorities.****Section 14. Transport Information****Proper shipping name** Consumer Commodity**DOT Classification** ORM-D**UN number** Not applicable.**TDG Classification** Consumer Commodity ORM-D**Section 15. Regulatory Information****U.S. Federal Regulations** SARA 313 toxic chemical notification and release reporting:

Ethylene Glycol Monobutyl Ether

Clean Water Act (CWA) 311: No products were found.

Clean air act (CAA) 112 regulated toxic substances: No products were found.

All Components of this product are listed or exempt from listing on TSCA inventory.

**State Regulations** California prop. 65: No products were found.**WHMIS (Canada)** WHMIS Class A: Compressed gas.  
Class D-2B: Material causing other toxic effects (TOXIC).**Section 16. Other Information**

*To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.*

*Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.*