

# ITEK MEGA PLATE ETCH DATE: 11/30/2021

#### 1. CHEMICAL NAME AND COMPANY IDENTIFICATION

Supplier: Mark Andy Print Products

18081 Chesterfield Airport Road

Chesterfield, MO 63005 \* 1-636-532-4433

For Chemical Spill Emergency Call: CHEMTREC: 1-800-424-9300

Product Name: ITEK MEGA Plate Etch

Product Codes: 38766 and 38767

**CAS Number:** Mixture - Not Established

### 2. HAZARDS IDENTIFICATION

### **GHS Classification**

Specific Target Organ Toxicity - Single Exposure (Category 1)

Specific Target Organ Toxicity - Single Exposure (Category 3), Respiratory Tract

Specific Target Organ Toxicity - Repeated Exposure (Category 2)

Acute Toxicity - Oral (Category 4) Serious Eye Damage (Category 1)

Skin Irritation (Category 2)

## GHS label elements, including hazard and precautionary statements



Pictogram(s)

Signal Word DANGER!

Hazard statement(s)

H370: CAUSES DAMAGE TO ORGANS.

H335: MAY CAUSE RESPIRATORY IRRITATION. H336: MAY CAUSE DROWSINESS OR DIZZINESS.

H373: MAY CAUSE DAMAGE TO ORGANS THROUGH PROLONGED OR REPEATED EXPOSURE.

H302: HARMFUL IF SWALLOWED.

H318: CAUSES SERIOUS EYE DAMAGE.

H315: CAUSES SKIN IRRITATION.

Precautionary statement(s)

Prevention:

P260: DO NOT BREATHE DUST/FUME/GAS/MIST/VAPORS/SPRAY.

P271: USE ONLY OUTDOORS IN A WELL-VENTILATED AREA.

P264+P265: WASH SKIN THOROUGHLY AFTER HANDLING. DO NOT TOUCH EYES.

P270: DO NOT EAT, DRINK, OR SMOKE WHILE USING THIS PRODUCT.

P280: WEAR PROTECTIVE GLOVES/PROTECTIVE CLOTHING/EYE PROTECTION/FACE PROTECTION.

Response:

P308+P316: IF EXPOSED OR CONCERNED: GET EMERGENCY MEDICAL HELP IMMEDIATELY.

P301+P317+P330: IF SWALLOWED. GET MEDICAL HELP. RINSE MOUTH.

P304+P340: IF INHALED: REMOVE PERSON TO FRESH AIR AND KEEP COMFORTABLE FOR BREATHING.

P319: GET MEDICAL HELP IF YOU FEEL UNWELL.



DATE: 11/30/2021

#### ITEK MEGA PLATE ETCH

P302+P352: IF ON SKIN: WASH WITH PLENTY OF WATER.

P332+P317: IF SKIN IRRITATION OCCURS: GET MEDICAL HELP.

P362+P364: TAKE OFF CONTAMINATED CLOTHING AND WASH IT BEFORE REUSE.

P305+P354+P338: IF IN EYES: IMMEDIATELY RINSE WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT

LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING.

Storage:

P403+P233+P405: STORE IN A WELL-VENTILATED PLACE. KEEP CONTAINER TIGHTLY CLOSED. STORE

LOCKED UP.

Disposal:

P501: DISPOSE OF CONTENTS/CONTAINER IN ACCORDANCE WITH LOCAL/REGIONAL/NATIONAL

REGULATIONS.

#### **HMIS Classification**

Health Hazard: 3 Flammability: 1 Physical Hazard: 0 Personal Protection: B

# 3. COMPOSITION / INFORMATION ON INGREDIENTS

Component(s)	CAS Number	*Concentration (weight)
1,2-Ethanediol	107-21-1	20-40%
n-Propyl Alcohol	71-23-8	5-10%
Distillates, Petroleum, Hydrotreated Heavy Naphthenic	64742-52-5	0-5%

<sup>\*</sup> In accordance with paragraph (i) of §1910.1200, exact chemical percentages (concentration) of composition have been withheld as a trade secret.

#### 4. FIRST AID MEASURES

**Exposure Routes**: Inhalation, Ingestion, Skin

**Eve Contact**: Flush with large volume of water for at least 15 minutes. Get immediate medical attention.

**Inhalation**: Remove to fresh air. Get immediate medical attention. **Ingestion**: Get immediate medical attention. Do not induce vomiting.

Skin Contact: Flush area with large amounts of water for at least 15 minutes. Get immediate medical attention.

## 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: Use water, dry chemical, or carbon dioxide.

Specific Hazards: N/A

Special protective equipment for fire-fighters: Use self-contained breathing apparatus.

### 6. ACCIDENTAL RELEASE MEASURES

# Personal precautions and protective equipment:

Respiratory Protection: Use supplied air equipment or respirators with proper NIOSH approved cartridges.

Protective Gloves: Impervious or chemical resistant gloves (consult safety equipment supplier).

Eye Protection: Chemical splash goggles recommended against potential eye contact.

Other Protective Clothing and Equipment: Safety shoes and aprons recommended.

Methods for Clean-Up:

**Minor Spills:** Absorb material with ground clay, vermiculite, sand, or similar absorbent material and place into containers for disposal according to local and/or state regulations.

**Major Spills:** Dike and contain spill. Eliminate potential sources of ignition, and shut off source of spill if possible. Remove liquid by chemical vacuum, absorbent material, or other safe and approved methods, and place into containers for disposal according to local and/or state regulations. Flush area with water to remove residue, and remove flushed solutions as above.



DATE: 11/30/2021

### ITEK MEGA PLATE ETCH

# 7. HANDLING AND STORAGE

Handling: Empty containers can be hazardous. Do not reuse empty containers. Plastic or stainless steel handling and transfer

equipment is recommended.

Storage: Store in a cool, dry, ventilated area, away from incompatible substances. Keep containers closed when not in use.

### 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

<b>Exposure Guidelines:</b>		OSHA	ACGIH	ACGIH	OTHER
<u>COMPONENT</u>	CAS No.	PEL/TWA	TLV/TWA	TLV/STEL	<u>RATING</u>
1,2-Ethanediol	107-21-1	N/E	25ppm	50ppm	
n-Propyl Alcohol	71-23-8	N/E	100ppm	N/E	250ppm (NIOSH STEL)
Distillates, Petroleum,					
Hydrotreated Heavy Naphthenic	64742-52-5	N/E	N/E	N/E	

**Exposure Controls**: Avoid open electrical sources near product vapor areas.

**Personal Protection Equipment:** 

Eyes: Chemical splash goggles recommended.

Skin and body: Impervious or chemical resistant gloves (consult safety equipment supplier).

**Respiratory**: Ventilation in work area should be sufficient to maintain atmosphere with vapor level below lowest listed TLV.

If TLV's are exceeded, use a respirator with appropriate NIOSH approved cartridges or supplied air equipment.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance**: Slightly Cloudy.

Odor: Alcohol-like.

**pH**: 5.3

Melting Point: N/A Boiling Point: N/A Flash Point: 219.2° F Flammable Limits:

LEL: N/A UEL: N/A

Vapor Pressure: (mmHg) N/A

Vapor Density: N/A

**Relative Density**: N/A

Specific Gravity: (Water = 1) 1.03 Solubility in water: Complete Maximum VOC Content: N/A Maximum VOC %: N/A Odor Threshold: N/A Evaporation Rate: N/A

Partition Coefficient: N-Octano/Water: N/A

**Auto-ignition Temperature**: N/A **Decomposition Temperature**: N/A

Viscosity: N/A

# 10. STABILITY AND REACTIVITY

Chemical Stability: Stable under recommended storage conditions.

**Incompatible Materials**: None know.

Hazardous Decomposition Products: None known.

Hazardous Polymerization: Will not occur.

Conditions to Avoid: None known.



DATE: 11/30/2021

### ITEK MEGA PLATE ETCH

### 11. TOXICOLOGICAL INFORMATION

## (ATE) FOR MIXTURE:

Specific tests have not been conducted on this product. Our evaluations based on information from the ingredients and technical literature. Data for this material has been used to estimate the symptoms and effects of exposure.

Oral LD50:

LD50 Oral -  $\geq$  1,548 mg/kg

**Dermal LD50:** 

LD50 Dermal - No data available

Inhalation LC50:

LC50 Inhalation - No data available

Other information on Acute Toxicity:

No data available

Routes of exposure: Inhalation, Ingestion, Skin

Acute: Overexposure may lead to central nervous system depression, leading to headaches, nausea and unconsciousness.

Chronic: Overexposure in high concentrations may cause central nervous system depression.

Signs and Symptoms of Exposure: Overexposure may lead to dizziness, headaches, dermatitis and eye irritation.

Medical Conditions Aggravated by Exposure: Preexisting eye, skin, liver, kidney, blood, nerves, testes, or respiratory

disorders may be aggravated by exposure.

Carcinogenicity (NTP, IARC, OSHA): Components of this product have not shown any evidence of carcinogenicity.

#### 12. ECOLOGICAL INFORMATION

Ecotoxicity: No data available

**Persistence and degradability**: No data available **Bioaccumulative potential**: No data available

Mobility in the soil: No data available
Other adverse effects: No data available

#### 13. DISPOSAL CONSIDERATIONS

### Waste disposal methods:

Dispose of in accordance with all applicable local, state and federal regulations. Do not discharge this product into lakes, streams, ponds or estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit, and the permitting authority has been notified in writing prior to discharge. Do not discharge this product into sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

14. TRANSPORTATION INFORMA	AHUN
----------------------------	------

IDHAZARDPACKINGU.S. D.O.T. DESIGNATIONNUMBERCLASSGROUP

Cleaning Liquid. Not Regulated.



### ITEK MEGA PLATE ETCH

DATE: 11/30/2021

### 15. REGULATORY INFORMATION

**Regulatory Information**: This information may be useful in complying with various federal and state regulations: Components present in this product at a level which could require reporting under EPA Regulation 40CFR302 (CERCLA) Section 102 and EPA Regulation 40CFR372 (SARA) 313: This product contains approximately 32.3% 1,2-Ethanediol.

Product may contain components which are further regulated by state and/or local agencies - Consult Appropriate Agencies.

#### **Notification status:**

U.S.A.: Toxic Substances Control Act (TSCA) Y
Canada: Domestic Substances List (DSL): Y

### 16. OTHER INFORMATION

For More Information, Consult Tower Products, Inc.
This Information Herein Is Given In Good Faith, But No Warranty, Express Or Implied Is Made.

Date of Preparation: November 30, 2021