#### MATERIAL SAFETY DATA SHEET

PPF - Power Steering Fluid - 12 oz. Part #PPF

> Gold Eagle Company 4400 S. Kildare Blvd. Chicago, IL 60632-4372 (773) 376-4400

Health: 0 Flammability: 1 Reactivity: 0 Pers. Prot. Index: B

\* Health: 0 Fire: 1 Reactivity: 0 Specific Hazard: None

## SECTION I PRODUCT IDENTITY

Product/Trade Name(s): PPF - Power Steering Fluid - 12 oz.

Part Number: PPF

MSDS Date: 10/27/97

CAS #: N/A

Category: Lubricating Oil

Distributor: N/A Chemical Name: N/A

Formula: N/A

Brief Description: General purpose hydraulic fluid.

# SECTION II HAZARDOUS INGREDIENTS & EXPOSURE LIMITS

CHEMICAL NAME

CAS #

LIMIT VALUES

DDITIVE PACKAGE (CASM: MIXTURE)

5.00

N/A

EFINED PETROLEUM OIL (CAS# 64742-65-0)

95.00

N/A

## SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: 665 F. (352 C.)

Vapor Pressure (mm Hg.): N/A Vapor Density (AIR = 1):

>1.0 Solubility in Water: Negligible % Volatile / Volume:

Negligible Appearance and Odor: Amber, oil type liquid

: Hq N/A

pecific Gravity (H20 m 1): 0.872

iscellangous Information

Product is a combustible liquid. Keep away from heat and flames. Store below 150 F., do not apply high heat or flame to container. Keep separate from strong oxidizing agents. Empty containers may contain product residue which could include flammable or explosive vapors.

#### PPF - Power Steering Fluid - 12 oz. Part #PPF

## SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point: 392 F. (200 C.)

Flammable Limits: N/A

wer Explosive Limit (LEL): per Explosive Limit (UEL):

tinguishing Media

Use carbon dioxide, dry chemical, foam and/or water fog as extingushing

ecial Fire Fighting Procedures

None

usual Fire and Explosion Hazards

Water may cause frothing.

### SECTION V REACTIVITY DATA

Stable: Yes

zardous Polymerization May Occur:

aditions to Avoid

Store below 150 F. Do not apply high heat or flame to container. Keep separate from strong oxidizing agents.

compatibility (Material to Avoid)

Strong oxidants.

cardous Decomposition or Byproducts

Carbon dioxide (Carbon monoxide under incomplete combustion)

### SECTION VI HEALTH HAZARD DATA

ects on Eyes

Mildly irritating.

ects on Skin

Mild irritant.

ects Due to Ingestion

Toxicity is relatively low, there is a risk of aspiration of product into the lungs. On ingestion of large quantities, slight GI discomfort. diarrhea, and headache may occur. Small doses may produce irritation and diarrhea.

acts Due to Inhalation

Low risk of inhalation. Mists above TLV may cause chemical pneumonitis.

st Aid Procedures for Eyes

If the product contacts the eyes, immediately wash the eyes with large quantities of room temperature water for at least 15 minutes, occasionally lifting the lower and upper lids. Get medical attention immediately.

st Aid Procedures for Skin

If the product contacts the skin, promptly wash the contaminated skin with soap and water for at least 15 minutes. If this product penetrates the clothing, promptly remove the clothing and wash the skin with soap and water.

st Aid Procedures for Ingestion

Do not induce vomiting. Get immediate medical assistance.

st Aid Procedures for Inhalation

Move the exposed person to fresh air at once and call emergency medical care. If breathing has stopped, give artificial respiration. If breathing is difficult, give humidified oxygen.

#### PPF - Power Steering Fluid - 12 oz. Part #PPF

#### SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

ceps to Be Taken in Case Material is Released or Spilled

SMALL SPILL: Remove sources of heat or ignition, provide adequate ventilation, contain leak absorbent, inert, non-combustible material. LA SPILL: Contain spill, transfer to secure containers. In the event of an uncontrolled material release, the user should determine if release is reportable under applicable laws and regulations.

Waste Disposal Method

Dispose of product in accordance with local, state, and federal regulations. Before attempting clean up, refer other sections of MSDS for hazard warning information.

Precautions to Be Taken in Handling and Storing

See other sections of MSDS

Other Precautions

Product is combustible, handle accordingly.

## SECTION VIII CONTROL MEASURES

Local Exhaust: Provide local ventilation to maintain exposure levels

below recommended exposure limits.

Mechanical (General): In confined spaces, mechanical ventilation may be

required.

Special Ventilation: OSHA TWA 5mg/m3 Oil Mist

Other Ventilation: N/A

Protective Gloves: Use oil impervious gloves as required.

Eye Protection: Use safety goggles or chemical splash goggles as

required.

uther Protective Clothing or Equipment

If there is a possibility of exposure of an individual's body to the lubricating oil, wear body-covering work clothes to avoid prolonged or repeated exposure.

Work/Hygienic Practices

Use normal hygiene practices.

Respiratory Protection (Specify Type)

Normally none required. If high vapor or mist concentrations are expected. use appropriate NIOSH approved respirator for organic vapors and mists.

## SECTION IX ADDITIONAL INFORMATION

### Additional Information

SHIPPING INFORMATION (CFR 49 AND IMDG):

PROPER SHIPPING NAME: Lubricating Oil, N.O.I.

DOT HAZARD CLASS : None required DOT UN NUMBER : None required

IMDG SHIPPING NAME : Petroluem Lubricating Oil, N.O.I.

Flashpoint >160 F.

SARA TITLE III:

Section 302: None Section 304: None

Section 311: Hazard categories-Fire Hazard=Yes

Section 313: None

#### PPF - Power Steering Fluid - 12 oz. Part #PPF

## SECTION IX ADDITIONAL INFORMATION (cont.)

iditional Information (cont.)

CERCLA:

Section 311(b)(4): Requires discharges of crude oil and petroleum products in any kind or form to waters must immediately be reported to the National Response Center at (800) 424-8802.

DISCLAIMER: Information presented herein is believed to be factual, as it has been derived from the works and opinions of persons believed to be qualified experts. However, nothing contained in this information is to be taken as warranty or representation for which the Gold Eagle Co. bears legal responsibility. The user should review any recommendations in the specific context of the intended use to determine whether they are appropriate.

the information and recommendations set forth herein are believed to be accurate as of the MSDS date, Corbus, a division of pliance Management Systems, Inc., makes no warranties expressed or implied of fitness for a particular purpose with respect hereto and disclaims all liability from reliance thereon.

::