

Revision Number: 007.0 Issue Date: 04/20/2015

1. IDENTIFICATION OF THE SUBSTANCE OR MIXTURE AND OF THE SUPPLIER

Product identifier used on the label: Soft Scrub® with Bleach Cleanser

Soft Scrub® with Bleach Disinfectant Cleanser

Commercial Soft Scrub® with Bleach Disinfectant Cleanser

Other means of identification: 1388321, 1432932, 1550861 (SS w/Bleach Disinfectant Cleanser)

Recommended use of the chemical and restrictions on use: Cleansing Cream, Do not mix with other products.

Name, address and telephone number of the chemical manufacturer:

The Dial Corporation, a Henkel Company

7201 E. Henkel Way

Scottsdale, AZ 85255-9672 USA

CHEMTREC: 1-800-424-9300 (24 hours daily)

Internet: www.henkelna.com

Emergency telephone number: Medical Emergencies: 1-888-689-9082

2. HAZARD IDENTIFICATION

The hazards described in this OSHA Globally Harmonized System Safety Data Sheet (SDS) are not intended for consumers, and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Classification of the substance or mixture in accordance with paragraph (d) of §1910.1200

HAZARD CLASS	HAZARD CATEGORY
SKIN CORROSION	1A
SERIOUS EYE DAMAGE	1
SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE	1
ACUTE HAZARDS TO THE AQUATIC ENVIRONMENT	2

Signal word, hazard statement(s), symbol(s) and precautionary statement(s) in accordance with paragraph (f) of §1910.1200

Signal word: DANGER

Hazard Statement(s): Causes severe skin burns and eye damage.

Causes damage to organs through prolonged or repeated exposure.

Toxic to aquatic life.





Symbol(s):

Precautionary Statements:

Prevention: Do not breathe vapors, mist, or spray.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Avoid release to the environment.

Wear protective gloves, eye protection, and face protection. **Response:** IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Immediately call a POISON CENTER or physician.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

remove. Continue rinsing.

IF exposed or concerned: Get medical attention. Wash contaminated clothing before reuse.

Storage: Not prescribed.

Disposal: Dispose of contents and/or container according to Federal, State/Provincial and local governmental regulations.

	The Dial Corporation, a Henkel Company; 7201 E. Henkel Way; Scottsdale, AZ 85255-9672	
Hard Surface Cleaner		Page 1 of 6

Hazards not otherwise classified: Not available.

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

3. COMPOSITION / INFORMATION ON INGREDIENTS

The following chemicals are classified as health hazards in accordance with paragraph (d) of § 1910.1200.

Chemical Name*	CAS Number (Unique Identifier)	Concentration
Limestone	1317-65-3	30 - 60 %
Boehmite (Al(OH)O)	1318-23-6	1 - 5%
Sulfonic acids, C13-17-sec-alkane, sodium salts	85711-69-9	1 - 5 %
Sodium hypochlorite	7681-52-9	1 - 5%

^{*}The specific chemical identity and/or exact percentage (concentration) of composition has been withheld because a trade secret is claimed in accordance with paragraph (i) of §1910.1200.

4. FIRST AID MEASURES

Description of necessary measures

Inhalation: Keep affected person warm and at rest. Remove from exposure area to fresh air immediately Treat symptomatically and supportively. Contact physician or local poison control center

Skin contact: Take off contaminated clothing. Rinse affected area with large amounts of water until no evidence of product remains. Contact physician or local poison control center.

Eye contact: Rinse eyes immediately with plenty of water, occasionally lifting upper and lower lids, until no evidence of product remains. Get medical attention if pain or irritation develops.

Ingestion: Treat symptomatically and supportively. Maintain airway and respiration. Do not induce vomiting. Dilution by rinsing the mouth and giving water or milk to drink is generally recommended. Contact physician or local poison control center.

Most important symptoms and effects, both acute and delayed

After eye contact: Corrosive, may cause permanent damage to the eyes (impairment of vision). After skin contact: Moderate to strong irritation of the skin (redness, swelling, burning), severe burns also possible. After Ingestion: Ingestion may cause pain, burning, swelling and redness in the mouth and throat. Nausea and vomiting may occur. After inhalation: Irritation of the respiratory tract, coughing. Inhalation of larger amounts may cause laryngospasm with shortness of breath.

Indication of any immediate medical attention and special treatment needed

After eye contact: Rinse eyes immediately with plenty of water, occasionally lifting upper and lower lids, until no evidence of product remains. After skin contact: Rinse affected area with large amounts of water until no evidence of product remains. After ingestion: Do not induce vomiting. Dilution by rinsing the mouth and giving a glass of water to drink is generally recommended. After inhalation: Remove from exposure area to fresh air.

5. FIRE FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media: Dry chemical, carbon dioxide, water spray or regular foam.

Unsuitable extinguishing media: None known

Specific hazards arising from the chemical

Oxides of carbon and oxides of nitrogen.

Special protective equipment and precautions for fire-fighters

In case of fire, wear a full-face positive-pressure self-contained breathing apparatus and protective suit. Move containers from fire area if you can do it without risk. Apply cooling water to sides of containers that are exposed to flames until well after fire is out. Avoid breathing hazardous vapors, keep upwind. Isolate area. Keep unnecessary personnel away.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Wear skin, eye and respiratory protection as recommended in Section 8. Stop leak if you can do it without risk. Spills present a slipping hazard. Keep unnecessary personnel away. Ventilate spill area if possible. Make sure area is slip-free before re-opening to traffic.

Environmental Precautions

This product is toxic to fish and aquatic invertebrates. This product should not be directly discharged into lakes, streams, ponds, estuaries, oceans, public water supplies, or other waters.

Methods and materials for containment and cleaning up

	The Dial Corporation, a Henkel Company; 7201 E. Henkel Way; Scottsdale, AZ 85255-9672	
Hard Surface Cleaner		Page 2 of 6

SMALL SPILLS: Contain and absorb with sand or other absorbent material and place into clean, dry containers for later disposal. Wash site of spillage thoroughly with water. LARGE SPILLS: Dike far ahead of spill to prevent further movement. Recover by pumping or by using a suitable absorbent material and place into containers for later disposal. Dispose in suitable waste container.

7. HANDLING AND STORAGE

Precautions for safe handling

Do not get in eyes, on skin, on clothing. Do not take internally. Use with adequate ventilation. Keep the containers closed when not in use. Have emergency equipment (for fires, spills, leaks, etc.) readily available.

Conditions for safe storage, including any incompatibilities

Store in a cool, dry, ventilated area out of reach of children and away from sources of heat, moisture, and incompatible substances. Storage areas for large quantities (warehouse) should be well ventilated. Keep the containers tightly closed when not in use.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available.

Hazardous Component(s)	ACGIH	OSHA PEL	AIHA WEEL	OTHER	
Limestone	10 mg/m3 TWA Total dust.	5 mg/m3 PEL Respirable fraction. 15 mg/m3 PEL Total dust.	None	None	
Boehmite (Al(OH)O)	1 mg/m3 TWA Respirable fraction.	None	None	None	
Sodium hypochlorite	None	None	2 mg/m3 STEL	None	

Appropriate engineering controls

Provide local exhaust or general dilution ventilation to keep exposure to airborne contaminants below the permissible exposure limits where mists or vapors may be generated. Any self-contained breathing apparatus that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode.

Individual protection measures

Respiratory: Air contamination monitoring should be carried out where mists or vapors are likely to be generated, to assure that the employees are not exposed to airborne contaminants above the permissible exposure limits.

Eye: Splash-proof safety glasses are required to prevent eye contact where splashing of product may occur.

Hand/Body: Protective gloves are required where repeated or prolonged skin contact may occur.

Protective clothing is required where repeated or prolonged skin contact may occur.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: cream, white
Odor: characteristic
Odor threshold: Not available.
pH: 12.7 (25 °C)
Melting point/ range: Not available.
Boiling point/range: Not available.
Flash point: > 93.3 °C (> 199.94 °F)

Evaporation rate: Not available. Flammable/Explosive limits - lower: Not available. Flammable/Explosive limits - upper: Not available. Vapor pressure: Not available. Vapor density: Not available Solubility in water: Not available. Partition coefficient (n-octanol/water): Not available. Autoignition temperature: Not available. **Decomposition temperature:** Not available. Viscosity: 5,000 - 12,000 mPa.s **VOC content:** Not available. Specific gravity: 1.3 (25°C, 77°F)

10. STABILITY AND REACTIVITY

Reactivity: This product reacts with acids.

Chemical stability: Stable under normal ambient temperature (70°F, 21°C) and pressure (1 atm).

Possibility of hazardous reactions: Hazardous polymerization has not been reported to occur under normal temperatures and pressures.

	The Dial Corporation, a Henkel Company; 7201 E. Henkel Way; Scottsdale, AZ 85255-9672	
Hard Surface Cleaner		Page 3 of 6

Conditions to avoid: Avoid storing in direct sunlight and avoid extremes of temperature.

Incompatible materials: Strong oxidizers, acids. Reacts with other household chemicals such as acid toilet bowl cleaners, rust

removers, acids, vinegar, and ammonia-containing products to produce hazardous gases, such as chlorine and

other chlorinated compounds

Hazardous decomposition products: Thermal decomposition may produce irritating smoke, oxides of carbon and chlorine.

11. TOXICOLOGICAL INFORMATION

Likely routes of exposure including symptoms related to characteristics

Inhalation: Irritating, in high concentration, to the respiratory tract (nose, throat, and lungs). Direct contact with mucous membranes may result in corrosive damage.

Skin contact: May cause severe irritation, pain and possibly chemical burns.

Eye contact: May cause moderate to severe irritation, with possibility of corneal injury if not removed promptly.

Ingestion: Ingestion may cause severe irritation or burns to esophagus, mouth, and stomach with nausea, vomiting and diarrhea.

Physical/Chemical: The product is alkaline. The product is corrosive.

Other relevant toxicity information:

This product is a household product. The use of this product by consumers is safe under normal and reasonable foreseen use.

Numerical measures of toxicity, including delayed and immediate effect

Hazardous Component(s)	LD50s and LC50s	Immediate and Delayed Health Effects		
Limestone	None	Nuisance dust		
Boehmite (Al(OH)O)	None	Respiratory, Lung, Corrosive, Irritant		
Sulfonic acids, C13-17-sec-alkane, sodium salts	None	No data		
Sodium hypochlorite	Oral LD50 (RAT) = 8.91 g/kg	Irritant, Corrosive, Skin		

Carcinogenicity information

Hazardous Component(s)	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen
Limestone	No	No	No
Boehmite (AI(OH)O)	No	No	No
Sulfonic acids, C13-17-sec-alkane, sodium salts	No	No	No
Sodium hypochlorite	No	No	No

Carcinogenicity

None of the ingredients in this product are listed as carcinogens by the International Agency for Research on Cancer

(IARC), the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA)..

Mutagenicity None of the ingredients in this product are known to cause mutagenicity.

Toxicity to reproduction None of the ingredients in this product are known as reproductive, fetal, or developmental hazards.

12. ECOLOGICAL INFORMATION

Aquatic Toxicity:

This product is anticipated to be safe for the environment at concentrations predicted in household settings under normal use conditions. The following toxicity information is available for the hazardous ingredient(s) when used as technical grade and is provided as reference for the occupational settings.

Toxicity to fish:

Hazardous substances	Value type	Value	Acute toxicity	Exposure	Species	Method
			study	time		
Calcium carbonate	LC50	> 10,000 mg/l	Fish	96 h		OECD 203
Boehmite (Al(OH)O)	LC50	> 100 mg/l	Fish	96 h	Oncorhynchus mykiss	OECD 203
Sulfonic acids, C13-17-sec-alkane, sodium salts	LC50	4.1 mg/l	Fish	48 h	Leuciscus idus	DIN 38412-15
Sodium hypochlorite	LC50	10 – 100 mg/l	Fish			OECD 203

Toxicity to aquatic invertebrates:

Hazardous substances	Value type	Value	Acute toxicity study	Exposure time	Species	Method
Calcium carbonate	EC50	> 1,000mg/l	Daphnia	48 h	Daphnia magna	OECD 202
Boehmite (Al(OH)O)	EC50	> 100 mg/l	Daphnia	48 h	Daphnia magna	OECD 202
Sulfonic acids, C13-17-sec-alkane, sodium salts	EC50	7.5 mg/l	Daphnia	24 h	Daphnia magna	
Sodium hypochlorite	EC50	10 – 100 mg/l	Daphnia		Daphnia magna	OECD 202

	The Dial Corporation, a Henkel Company; 7201 E. Henkel Way; Scottsdale, AZ 85255-9672	
Hard Surface Cleaner		Page 4 of 6

Toxicity to algae:

Hazardous substances	Value type	Value	Acute toxicity study	Exposure time	Species	Method
Calcium carbonate	EC50	> 200 mg/l	Algae	72 h		OECD 201
Sulfonic acids, C13-17-sec-alkane, sodium salts	EC50	95.5 mg/l	Algae	72 h	Desmodesmus subspicatus	OECD 201
Sodium hypochlorite	EC50	0.4 mg/l	Algae	24 h	Dunaliella sp.	OECD 201

Persistence and Degradability:

Hazardous substances	Result Value	Route of application	Species	Method
Sulfonic acids, C13-17-sec-alkane, sodium salts	readily biodegradable	aerobic	71 %	EU Method C.4-E (closed bottle)

Bioaccumulation Potential: The bioaccumulation potential of this product has not been determined.

Mobility: The mobility of this product (in soil and water) has not been determined.

13. DISPOSAL CONSIDERATIONS

Waste Number and Description: D002 (Corrosivity)

Disposal Considerations:

Disposal of products: This product is a RCRA characteristic hazardous waste (corrosive) and must be disposed of in a RCRA Subtitle

C landfill. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the hazardous waste representative at the nearest EPA Regional

Office for guidance

Disposal of packages: Do not reuse this container. Dispose of container and unused contents in accordance with federal, state and

local requirements.

Additional information: Observe all federal, state and local regulations when storing or disposing of this substance

14. TRANSPORT INFORMATION

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any package/configuration.

U.S. Department of Transportation Ground (49 CFR)

Proper shipping name: Not regulated Hazard class or division: None Identification number: None None None

International Air Transportation (ICAO/IATA)

Proper shipping name: Not regulated

Hazard class or division: None Identification number: None Packing group: None

Water Transportation (IMO/IMDG)

Proper shipping name: Not regulated None Identification number: None None None

15. REGULATORY INFORMATION

Occupational safety and health act: Hazard Communication Standard, 29 CFR 1910.1200(g) Appendix D: The Occupational Safety and Health Administration (OSHA) require that the Safety Data Sheets (SDSs) are readily accessible to employees for all hazardous chemicals in the workplace. Since the use pattern and exposure in the workplace are generally not consistent with those experienced by consumers, this SDS may contain health hazard information not relevant to consumer use.

United States Regulatory Information:

TSCA 8 (b) Inventory Status: All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.

TSCA 12 (b) Export Notification: None above reporting de minimis CERCLA/SARA Section 302: None above reporting de minimis

CERCLA/SARA Section 311/312: Not available.

CERCLA/SARA Section 313: None above reporting de minimis

California Proposition 65: No California Proposition 65 listed chemicals are known to be present.

	The Dial Corporation, a Henkel Company; 7201 E. Henkel Way; Scottsdale, AZ 85255-9672	
Hard Surface Cleaner		Page 5 of 6

Export Restrictions: This is a pesticide product registered by the US Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. Refer to the pesticide label for specific hazard information. The pesticide label also includes other important information, including directions for use.

Canada Regulatory Information:

CEPA DSL/NDSL Status: One or more components are not listed on, and are not exempt from listing on either the Domestic Substances List or the Non-Domestic Substances List.

16. OTHER INFORMATION

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

This safety data sheet contains changes from the previous version in sections: 2, 3, 11

Prepared by: R&D Support Services

Issue date: 04/20/2015 Supercedes: Rev. 6, 08/11/2014



Express Re-Order Now. Go to National EW.com where Unsung Heroes Make It Happen™