

SAFETY DATA SHEET

This SDS complies with OSHA'S Hazard Communication Standard (29 CFR 1910.1200)

SECTION 1 – CHEMICAL PRODUCT AND COMPANY IDENTIFICATION						
Manufactured by: Address:	Spinks Ink 1125 Republic Drive Addison, IL 60101	Identity (Trade name as used on label) Product Class: Oxidizing Offset Inks Trade Name: ACRYLIC STANDARD COLORS Item №s.: ALL CODES (see page 3) Product Use: Printing Ink				
Date Prepared: April 22, 2016		Prepared by: Charmain Page-Walthrus				
Information Calls: (800)-327-4657		DOT Emergency Response: (201) 478-5600				
	SECTION	2 HAZARDS IDENTIFICATION				
TT BOAD COTTO						

Hazcom 2012/GHS Classification: Eye Irritation Category 2A, Skin Sensitizer Category 1



WARNING

May cause an allergic skin reaction. Causes serious eye irritation. Response: Storage / Disposal: Dispose of contents/container in accordance with local, state and federal regulations.

Prevention:

Wash exposed skin thoroughly after handling. Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/eye/face protection.

esponse:

.F IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.

Storage/Disposal:

Dispose of contents and container in accordance with local, state and federal regulations.

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS Number	Wt. %	
Resins	Mixture	35 – 75	
Carbon Black (black ink only)	1333-86-4	15-30	
Non-Hazardous Pigments	Mixture	10 - 50	
Vegetable Oils	Mixture	5 - 40	
Petroleum Distillate	64742-47-8	1 - 45	
Additives	Mixture	1 – 10	
Hydroquinone	123-31-9	0 0.6	
Ethane Homopolymer	9002-88-4	5 – 7	
Crystalline Silica (Quartz)	14808-60-7	<.001	
Titanium Dioxide	13463-67-7	25 - 30	
Middle Distillate	64741-44-2	11	



SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Colored Paste TYPE OF ODOR: Mild ODOR THRESHOLD: Not determined RELATIVE DENSITY vs. water: Heavier VAPOR DENSITY vs. air: Heavier VAPOR PRESSURE: Not determined FLASH POINT: >200 SETA CC FLAMMABLE LIMITS: Not determined AUTO-IGNITION TEMPERATURE: Not determined BOILING RANGE (°F): 520 - 578 pH: 6 - 8 MELTING/FREEZING POINT: Not determined EVAPORATION RATE vs. Butyl Acetate: Slower SOLUBILITY IN WATER: None VISCOSITY: Not determined PARTITION COEFFICIENT: Not determined FLAMMABILITY (solid, gas): Not applicable DECOMPOSITION TEMPERATURE: Not determined

COLOR	PRODUCT №	VOC, WT.%	SPECIFIC GRAVITY	LBS/GAL	VOC LBS/GAL
PANTONE® 012 YELLOW	PS012	15.8	1.01	8.42	1.3
PANTONE® 021 ORANGE	PS021	14.7	1.00	3.34	1.2
PANTONE® 032 BIG APPLE RED	PS032	13.8	0.99	8.26	1.1
PANTONE® 072 GREAT LAKES BLUE	PS072	15.1	1.00	8.34	1.3
PANTONE® 185 BRICK RED	PS185	14.5	0.99	8.26	1.2
PANTONE® 199 INDIAN RED	PS199	17.6	1.02	8.51	1.9
PANTONE® 201 BURGUNDY	PS201	17.3	1.02	8.51	1.5
PANTONE® 221 BORDEAUX	PS221	17.9	1.04	8.67	2.0
PANTONE® 286 LONE STAR BLUE	PS286	16.7	0.99	8.26	1.1
PANTONE® 288 ROYAL BLUE	PS288	16.6	1.00	8.34	1.2
PANTONE® 293 BIG SURF BLUE	PS293	17.5	1.00	8.34	1.3
PANTONE® 300 PERIWINKLE BLUE	PS300	18.3	1.02	8.51	1.4
PANTONE® 320 KENTUCKY TEAL	PS320	19.0	1.02	8.51	1.6
PANTONE® 347 RAIN FOREST GREEN	PS347	17.6	1.03	8.59	1.4
PANTONE® 348 YOSEMITE GREEN	PS348	17.4	1.03	8.59	1.4
PANTONE® 354 KEY LIME	PS354	18.5	1.02	8.51	1.6
PANTONE® 356 PINE GREEN	PS356	17.3	1.03	8.59	1.4-
PANTONE® 469 CHOCOLATE BROWN	PS469	12.3	1.03	8.59	1.2
PANTONE® 485 RICH RED	PS320	19.0	1.03	8.59	1.7

SECTION 10 - STABILITY AND REACTIVITY

Reactivity: Not normally reactive.

Chemical Stability: Stable under normal storage and handling conditions.

Possibility of Hazardous Reactions: None known

Conditions to Avoid: Avoid excessive heat and open flames.

Incompatible Materials: Strong oxidizing agents.

Hazardous Decomposition Products:. The yellow ink contains diarylide pigments which may be subject to breakdown at temperatures above 200C (392F). This decomposition may produce monoazo dyes and 3,3'dichlorobenzidine.



SECTION 11 – TOXICOLOGICAL INFORMATION

POTENTIAL HEALTH EFFECTS:

Eye: Causes eye irritation with redness and tearing.

Skin: Causes irritation and drying of the skin. Repeated skin contact may cause allergic skin reaction with rash.

Inhalation: Mist or vapor can irritate the throat and lungs. High concentrations may cause nasal and respiratory irritation. Repeated inhalation of mists may cause allergic respiratory reaction with asthma symptoms.

Ingestion: If swallowed, this material may cause irritation of the mouth, throat and esophagus. Swallowing may cause gastrointestinal irritation, nausea, vomiting, diarrhea, dizziness, drowsiness and other central nervous system effects.

Chronic Hazards: May cause an allergic skin reaction. Causes serious eye irritation.

Carcinogen Status: Carbon Black is listed by IARC as a group 2B carcinogen (possible human carcinogen). However, the carbon black is bound in the ink matrix and no exposure to free carbon black will occur in the normal use of this product. Hydroquinone is classified by IARC in group 3 (not classifiable for carcinogenicity) but hydroquinone has caused cancer in some laboratory studies. None of the other components of this product are listed as carcinogens by OSHA, IARC, NTP, ACGIH or the EU Directive.

Crystalline Silica is listed by IARC as a Group 1 carcinogen (carcinogenic to humans). However, the crystalline silica is bound in the ink matrix and exposure to free crystalline silica will not occur in the normal use of this product.

Based on rat inhalation studies, IARC concluded that there is, "sufficient evidence in experimental animals for the carcinogenicity of titanium dioxide." IARC's overall evaluation was that "Titanium Dioxide is possibly carcinogenic to humans (Group 2B).

Acute Toxicity Values: Components are not acutely toxic. Vegetable Oils: LD50 oral rat >5000 mg/kg Petroleum Distillate: LD50 oral rat >5000 mg/kg Resins: LD50 oral rat >2000 mg/kg Pigments: LD50 oral rat >2000 mg/kg

SECTION 12 – ECOLOGICAL INFORMATION

Ecotoxicity: No data available

Persistence and Degradability: No data available

Bioaccumulative Potential: No data available

Mobility in Soil: No data available

Other Adverse Effects: None known

SECTION 13 – DISPOSAL CONSIDERATIONS

Hazardous Waste Characterization: None

Recommendation: Dispose of materials associated with cleaning up spills and/or leaks according to federal, state and local regulations for ignitable waste. Consult appropriate federal, state and local regulations to determine proper characterization of used product contaminated with other printing process products.

SECTION 14 – TRANSPORT INFORMATION

Ground Shipping (US DOT 49 CFR): Not Regulated.

Air (ICAO/IATA) Shipping: Not Regulated.

International Maritime Organization (IMDG) Shipping: Not Regulated.



SECTION 15 – REGULATORY INFORMATION

SARA Title III, Sections 311 and 312 Hazard Classifications: Acute Health, Chronic Health

SARA Title III, Sections 313: This product contains the following chemicals is subject to reporting requirements of Section 313 (Toxic Release Inventory) of the Emergency Planning and Community Right-to-Know Act of 1996: Barium Compounds 25-30% (warm red ink only)

SARA Title III, Sections 302 and 304 (Extremely Hazardous Substances) – This product is not subject to reporting requirements of Sections 302 and 304 of the Emergency Planning and Community Right-to-Know Act of 1996.

Clean Air Act (CAA) Hazardous Air Contaminants Rule (Hazardous Air Pollutant - HAP) - N/A

California Proposition 65: - This product contains substances known to the state of California to cause cancer and/or reproductive toxicity.

TSCA Inventory: All of this product's components are listed.

SECTION 16 – OTHER INFORMATION

Date Prepared: April 22, 2016

FOR INDUSTRIAL USE ONLY

USE ONLY AS DIRECTED

DO NOT TAKE INTERNALLY

While Spinks Ink believes the data set forth herein are accurate as of the date hereof, Spinks Ink makes no warranty with respect thereto and expressly disclaims all liability for reliance thereon. Such data are offered solely for your consideration, investigation and verification.